

VITAL STATISTICS

**STATE OF
MISSOURI**



1949

JEFFERSON CITY, MISSOURI

The Department of Public Health and Welfare of Missouri

DIVISION OF HEALTH

Bureau of Vital Statistics

From 1912 to 1948, the Vital Statistics tables were a part of the reports of the State Board of Health, later the Division of Health, State Department of Public Health and Welfare. Beginning with the publication of the biennial report covering 1949 and 1950, the tables were omitted for economy.

After a long delay the tables for 1949 have been reproduced. This was done by preparing them piecemeal over a two-year period. In order to prevent the repetition of the unfortunate occurrence in 1935 and 1936 when no vital statistics reports were published, it was decided in 1952 to reproduce the tables for 1949, even though several radical changes would have to be made.

A new feature is the inclusion for the first time of several tables on marriage and divorce. Nineteen hundred forty-nine (1949) was the first full year of the operation of the law providing for reporting such data to the Division of Health. Although the law is inadequate to insure compulsory reporting, the response of the 154 circuit clerks and recorders has still been sufficient to insure reliable data in nearly all the categories tabulated.

March 1954

INDEX TO TABLES

- Table A. Total Population, Recorded Births and Deaths by Year: 1911-1949
- Table B. Resident Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1949
- Table C. Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1949
- Table D. Stillbirths, Recorded and Resident, by Period of Gestation: 1949
- Table E. Resident Births, Urban and Rural, by Age of Mother; Sex and Color of Child: 1949
- Table F. Number of Resident Live Births by Age of Mother, Color and Sex: 1949
- Table G. Selected Resident Live Birth Statistics with Percentages. Three Missouri Areas: 1949
- Table H. Resident Infant Deaths by Age, Cause, and Color, with Rates by Cause and Color: 1949
- Table I. Resident Maternal Deaths by Cause and Color with Rates: 1949
- Table J. Ten Leading Causes of Death with Rates: 1949
- Table K. Recorded Accidental Deaths by Type and Age: 1949
- Table L. Accidental Deaths by Type and County or City of Occurrence: 1949
- Table M. Resident Deaths by Age Groups, Sex, Color, and Important Causes, for the State: 1949
- Table N. Recorded Deaths from Communicable Diseases by Cause and County: 1949
- Table O. Reported Cases for 25 Selected Diseases by County and City: 1949
- Table P. Reported Cases for 22 Selected Diseases by Month of Receipt of Report: 1949
- Table AA. Marriages by Year of Birth; Groom versus Bride: 1949
- Table BB. Marriages by Marital Status; Groom versus Bride: 1949
- Table CC. Divorces by Year of Marriage and Number of Children Affected: 1949
- Table DD. Marriages by Color of Groom: 1949
- Table EE. Marriages by Marital Status and Selected Age Groups; Grooms and Brides: 1949
- Table FF. Divorces: Complainant versus to Whom Decree Granted: 1949
- Table GG. Divorces: Complainant versus Disposition of Children: 1949

INDEX TO TABLES (Continued)

Table HH. Divorces by Number of Cases Contested: 1949

Table JJ. Divorces by Alimony and Settlements: 1949

Table KK. Divorces by Cause or Grounds Alleged: 1949

Table LL. Divorces: Sex and Color; Husband versus Wife: 1949

Table MM. Divorces by State of Marriage: 1949

Table NN. Divorces: Number of Previous Marriages; Husband versus Wife: 1949

Births by Attendant and Deaths from Important Causes with Rates
Missouri Areas, Resident Data: 1949

	Page
State Total.....	1
Urban Total.....	1
Rural Total.....	1
Counties: Adair to Wright.....	2-30
Cities of 10,000 population or more.....	30-36

TABLE A

POPULATION, REGORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911 - TO DATE.

Year	Estimated Mid-Year Population	BIRTHS		DEATHS		Excess Births over Deaths
		Number	Rate	Number	Rate	
1911	3,307,116	74,130	22.4	43,479	13.1	30,651
1912	3,318,520	75,452	22.7	42,139	12.7	33,313
1913	3,329,925	75,231	22.6	42,130	12.7	33,101
1914	3,341,330	73,925	22.1	41,743	12.5	32,182
1915	3,352,734	71,543	21.3	40,863	12.2	30,680
1916	3,364,139	73,486	21.8	44,705	13.3	28,781
1917	3,375,543	67,041	19.9	45,564	13.5	21,477
1918	3,386,948	64,001	18.9	51,925	15.3	12,076
1919	3,398,353	61,193	18.0	39,282	11.6	21,911
1920	3,415,046	65,416	19.2	42,572	12.5	22,844
1921	3,437,027	66,970	19.5	36,210	10.5	30,760
1922	3,459,009	64,388	18.6	38,417	11.1	25,971
1923	3,480,991	66,691	19.2	41,853	12.0	24,838
1924	3,502,972	68,961	19.7	40,463	11.6	28,498
1925	3,524,954	68,293	19.4	41,332	11.7	26,961
1926	3,546,936	66,611	18.8	42,684	12.0	23,927
1927	3,568,917	66,401	18.6	40,853	11.4	25,548
1928	3,590,889	63,401	17.7	45,219	12.6	18,182
1929	3,612,881	60,980	16.9	44,262	12.3	16,718
1930	3,633,250	62,011	17.1	42,924	11.8	19,087
1931	3,648,780	60,201	16.5	43,999	12.1	16,202
1932	3,664,310	59,755	16.3	43,695	11.9	16,060
1933	3,679,840	57,717	15.7	43,368	11.8	14,349
1934	3,695,370	60,317	16.3	46,685	12.6	13,632
1935	3,710,900	57,299	15.4	43,201	11.6	14,098
1936	3,726,430	55,916	15.0	48,767	13.1	7,149
1937	3,741,960	57,270	15.3	45,160	12.1	12,110
1938	3,757,490	59,365	15.8	42,578	11.3	16,787
1939	3,773,020	59,688	15.8	42,693	11.3	16,995
1940	3,788,550	62,545	16.5	43,950	11.6	18,595
1941	3,805,637	66,268	17.4	43,295	11.4	22,973
1942	3,802,813	72,575	19.1	42,117	11.1	30,458
1943	3,750,496	74,820	19.9	44,437	11.8	30,383
1944	3,589,303	69,982	19.5	42,347	11.8	27,635
1945	3,556,693	67,693	19.0	42,757	12.0	24,936
1946	3,780,471	82,901	21.9	42,640	11.3	40,261
1947	3,853,930	92,369	24.0	44,762	11.6	47,607
1948	3,947,000	87,005	22.0	42,921	10.9	44,084
1949	3,920,000	87,372	22.3	43,995	11.2	43,377

Sources: 1911-1934 and 1937-1942 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the U. S. Bureau of the Census. Population estimates 1930 to date based on census population releases by the U. S. Bureau of the Census.

TABLE B
RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
State Total	3,920,000	85,206	43,708	2,559	1,641	21.7	11.2	30.0	19.3
Cities 10,000 over		40,754	21,503	1,106	813				
Rural		44,452	22,205	1,453	828				
Counties Including Cities 10,000 over									
Adair	19,500	414	250	16	3	21.2	12.8	38.6	7.2
Andrew	11,700	192	122	-	2	16.4	10.4	-	10.4
Atchison	12,300	255	123	9	5	20.7	10.0	35.3	19.6
Audrain	23,600	541	268	14	15	22.9	11.4	25.9	27.7
Barry	21,700	425	206	14	4	19.6	9.5	32.9	9.4
Barton	12,700	240	153	6	3	18.9	12.0	25.0	12.5
Bates	17,600	311	202	13	3	17.7	11.5	41.8	9.6
Benton	9,200	152	124	7	5	16.5	13.5	56.1	32.9
Bollinger	11,100	199	112	6	2	17.9	10.1	30.2	10.1
Boone	47,200	1,031	389	24	11	21.8	8.2	23.3	10.7
Buchanan	94,900	1,770	1,138	64	24	18.7	12.0	36.2	13.6
Butler	37,400	948	367	56	31	25.3	9.8	59.1	32.7
Caldwell	9,400	164	153	4	1	17.4	16.3	24.4	6.1
Callaway	23,200	431	271	19	12	18.6	11.7	44.1	22.8
Camden	7,900	159	85	3	1	20.1	10.8	18.9	6.3
Cape Girardeau	38,400	861	375	29	15	22.4	9.8	33.7	17.4
Carroll	15,200	282	189	10	7	18.6	12.4	35.5	24.8
Carter	4,900	101	54	2	3	20.6	11.0	19.8	29.7
Cass	19,700	350	253	14	6	17.8	12.8	40.0	17.1
Cedar	10,700	188	141	5	1	17.6	13.2	26.6	5.3
Chariton	15,100	262	190	7	5	17.4	12.6	26.7	19.1
Christian	12,400	235	141	5	3	19.0	11.4	21.3	12.8
Clark	9,100	159	108	7	3	17.5	11.9	44.0	18.9
Clay	43,100	1,003	420	25	23	23.3	9.7	24.9	22.9
Clinton	10,600	223	176	5	2	21.0	16.6	22.4	9.0
Cole	35,200	668	275	8	16	19.0	7.8	12.0	24.0
Cooper	16,600	317	210	6	9	19.1	12.7	18.9	28.4
Crawford	11,100	258	129	7	5	23.2	11.6	27.1	19.4
Dade	9,500	140	125	5	4	14.7	13.2	35.7	28.6
Dallas	10,400	168	116	7	6	16.2	11.2	41.7	35.7
Daviess	11,100	177	162	9	7	15.9	14.6	50.8	39.5
De Kalb	8,100	148	90	1	3	18.3	11.1	6.8	20.3
Dent	11,000	185	125	5	3	16.8	11.4	27.0	16.2
Douglas	12,900	259	99	7	3	20.1	7.7	27.0	11.6
Dunklin	45,000	1,171	406	64	30	26.0	9.0	54.7	25.6
Franklin	34,900	831	382	29	16	23.8	10.9	34.9	19.3
Gasconade	12,300	250	145	14	1	20.3	11.8	56.0	4.0
Gentry	11,200	181	162	6	8	16.2	14.5	33.1	44.2
Greene	107,200	2,284	1,112	64	36	21.3	10.4	28.0	15.8
Grundy	13,100	258	224	9	5	19.7	17.1	34.9	19.4
Harrison	14,200	224	168	2	6	15.8	11.8	8.9	26.8
Henry	22,300	373	296	14	9	16.7	13.3	37.5	24.1

RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949 - Continued

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
Hickory	5,500	100	64	2	-	18.2	11.6	20.0	-
Holt	10,000	180	123	6	2	18.0	12.3	33.3	11.1
Howard	11,900	234	155	6	7	19.7	13.0	25.6	29.9
Howell	22,600	513	240	16	12	22.7	10.6	31.2	23.4
Iron	10,100	233	111	16	4	23.1	11.0	68.7	17.2
Jackson	523,300	12,138	6,086	360	221	23.2	11.6	29.7	18.2
Jasper	76,900	1,660	971	38	25	21.6	12.6	22.9	15.1
Jefferson	37,100	824	351	27	21	22.2	9.5	32.8	25.5
Johnson	22,100	342	229	11	10	15.5	10.4	32.2	29.2
Knox	7,700	108	92	1	2	14.0	11.9	9.3	18.5
Laclede	18,900	370	193	15	11	19.6	10.2	40.5	29.7
Lafayette	25,400	507	317	15	10	20.0	12.5	29.6	19.7
Lawrence	23,400	431	247	15	10	18.4	10.6	34.8	23.2
Lewis	10,700	199	159	7	2	18.6	14.9	35.2	10.1
Lincoln	12,900	253	153	3	6	19.6	11.9	11.9	23.7
Linn	18,900	345	261	15	4	18.3	13.8	43.5	11.6
Livingston	16,600	338	205	11	-	20.4	12.3	32.5	-
McDonald	14,200	243	152	6	4	17.1	10.7	24.7	16.5
Macon	18,400	271	263	8	6	14.7	14.3	29.5	22.1
Madison	10,300	233	96	6	8	22.6	9.3	25.8	34.3
Maries	6,800	156	57	2	3	22.9	8.4	12.8	19.2
Marion	29,900	641	427	20	18	21.4	14.3	31.2	28.1
Mercer	7,300	104	79	1	3	14.2	10.8	9.6	28.8
Miller	13,800	295	121	9	4	21.4	8.8	30.5	13.6
Mississippi	22,400	765	257	29	10	34.2	11.5	37.9	13.1
Moniteau	10,900	200	150	9	3	18.3	13.8	45.0	15.0
Monroe	11,500	167	154	5	9	14.5	13.4	29.9	53.9
Montgomery	11,600	195	161	6	6	16.8	13.9	30.8	30.8
Morgan	10,200	185	128	5	2	18.1	12.5	27.0	10.8
New Madrid	39,300	1,232	347	76	31	31.3	8.8	61.7	25.2
Newton	28,500	568	308	20	7	19.9	10.8	35.2	12.3
Nodaway	24,000	513	259	12	4	21.4	10.8	23.4	7.8
Oregon	12,000	217	113	6	3	18.1	9.4	27.6	13.8
Osage	12,500	218	110	3	3	17.4	8.8	13.8	13.8
Ozark	9,000	196	66	4	1	21.8	7.3	20.4	5.1
Pemiscot	45,500	1,246	434	96	23	27.4	9.5	77.0	18.5
Perry	14,900	362	124	12	3	24.3	8.3	33.1	8.3
Pettis	33,600	591	442	26	12	17.6	13.2	44.0	20.3
Phelps	21,100	506	210	14	7	24.0	10.0	27.7	13.8
Pike	16,900	358	254	14	8	21.2	15.0	39.1	22.3
Platte	14,100	268	142	9	3	19.0	10.1	33.6	11.2
Polk	16,100	326	199	5	7	20.2	12.4	15.3	21.5
Pulaski	10,200	235	112	5	5	23.0	11.0	21.3	21.3
Putnam	8,800	158	124	4	2	18.0	14.1	25.3	12.7
Ralls	8,800	149	112	4	1	16.9	12.7	26.8	6.7
Randolph	23,000	402	296	10	6	17.5	12.9	24.9	14.9
Ray	16,100	255	204	13	7	15.8	12.7	51.0	27.5
Reynolds	7,100	147	60	2	3	20.7	8.5	13.6	20.4
Ripley	11,500	248	109	7	7	21.6	9.5	28.2	28.2

RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949 - Continued

	NUMBER					RATES *			
	Popula- tion	Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
St. Charles	29,500	686	298	14	13	23.3	10.1	20.4	19.0
St. Clair	12,500	152	100	2	2	12.2	8.0	13.2	13.2
St. Francois	35,300	818	387	37	14	23.2	11.0	45.2	17.1
Ste. Genevieve	11,200	301	98	11	3	26.9	8.8	36.5	10.0
St. Louis	394,600	8,725	3,064	173	138	22.1	7.8	19.8	15.8
Saline	26,800	490	337	23	9	18.3	12.6	46.9	18.4
Schuyler	5,800	106	76	2	1	18.3	13.1	18.9	9.4
Scotland	7,400	116	131	5	1	15.7	17.7	43.1	8.6
Scott	32,500	891	290	27	13	27.4	8.9	30.3	14.6
Shannon	8,600	154	63	3	-	17.9	7.3	19.5	-
Shelby	9,600	201	144	2	4	20.9	15.0	10.0	19.9
Stoddard	33,300	876	335	42	20	26.3	10.1	47.9	22.8
Stone	9,900	194	84	4	6	19.6	8.5	20.6	30.9
Sullivan	11,200	187	167	10	2	16.7	14.9	53.5	10.7
Taney	9,900	168	97	3	1	17.0	9.8	17.9	6.0
Texas	19,100	401	230	13	4	21.0	12.0	32.4	10.0
Vernon	24,900	345	271	11	8	13.9	10.9	31.9	23.2
Warren	7,300	119	86	2	1	16.3	11.8	16.8	8.4
Washington	14,800	382	159	13	8	25.8	10.7	34.0	20.9
Wayne	10,700	197	92	4	3	18.4	8.6	20.3	15.2
Webster	15,200	325	178	10	2	21.4	11.7	30.8	6.2
Worth	5,200	97	69	2	1	18.7	13.3	20.6	10.3
Wright	15,900	333	171	13	9	20.9	10.8	39.0	27.0
St. Louis City	849,800	19,729	10,518	500	455	23.2	12.4	25.3	23.1
Cities over 10,000									
Cape Girardeau		467	205	19	8				
Carthage		228	140	5	5				
Clayton		314	164	2	8				
Columbia		723	221	20	5				
Hannibal		415	297	14	12				
Independence		847	307	19	15				
Jefferson City		454	189	7	10				
Joplin		841	466	20	15				
Kansas City		9,943	5,318	308	180				
Kirksville		269	160	13	2				
Kirkwood		488	190	10	9				
Maplewood		278	137	7	2				
Moberly		227	175	5	5				
Poplar Bluff		404	144	26	11				
Richmond Heights		312	107	6	5				
St. Charles		338	152	8	8				
St. Joseph		1,449	967	48	14				
Sedalia		399	303	20	7				
Springfield		1,453	772	33	21				
University City		736	351	9	8				
Webster Groves		440	220	7	8				

*Rates for Live Births and Deaths are per 1,000 population.

Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.

Rates for cities not given as population figures were not available.

TABLE C
RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
State Total	3,920,000	87,372	43,995	2,622	1,714	22.3	11.2	30.0	19.6
Cities 10,000 over		59,160	24,607	1,656	1,167				
Rural		28,212	19,388	966	547				
Counties Including Cities 10,000 over									
Adair	19,500	781	374	23	8	40.1	19.2	29.4	10.2
Andrew	11,700	22	91	-	-	1.9	7.8	-	-
Atchison	12,300	31	62	1	1	2.5	5.0	32.3	32.3
Audrain	23,600	679	277	16	18	28.8	11.7	23.6	26.5
Barry	21,700	582	188	15	8	26.8	8.7	25.8	13.7
Barton	12,700	208	116	2	4	16.4	9.1	9.6	19.2
Bates	17,600	268	170	6	3	15.2	9.7	22.4	11.2
Benton	9,200	141	96	4	6	15.3	10.4	28.4	42.6
Bollinger	11,100	101	89	3	-	9.1	8.0	29.7	-
Boone	47,200	917	399	21	9	19.4	8.5	22.9	9.8
Buchanan	94,900	2,217	1,467	81	41	23.4	15.5	36.5	18.5
Butler	37,400	1,387	487	83	43	37.1	13.0	59.8	31.0
Caldwell	9,400	104	119	-	1	11.1	12.7	-	9.6
Callaway	23,200	346	459	13	11	14.9	19.8	37.6	31.8
Camden	7,900	75	66	1	1	9.5	8.4	13.3	13.3
Cape Girardeau	38,400	1,628	536	60	30	42.4	14.0	36.9	18.4
Carroll	15,200	324	176	11	7	21.3	11.6	33.9	21.6
Carter	4,900	64	40	1	-	13.1	8.2	15.6	-
Cass	19,700	248	205	7	4	12.6	10.4	28.2	16.1
Cedar	10,700	137	118	-	2	12.8	11.0	-	14.6
Chariton	15,100	99	141	1	-	6.6	9.0	10.1	-
Christian	12,400	126	107	3	3	10.2	8.6	23.8	23.8
Clark	9,100	20	60	-	-	2.2	6.6	-	-
Clay	43,100	540	389	11	15	12.5	9.0	20.4	27.8
Clinton	10,600	170	136	3	1	16.0	12.8	17.6	5.9
Cole	35,200	922	327	21	20	26.2	9.3	22.8	21.7
Cooper	16,600	424	224	8	13	25.5	13.5	18.9	30.7
Crawford	11,100	159	87	6	4	14.3	7.8	37.7	25.2
Dade	9,500	124	111	4	2	13.1	11.7	32.3	16.1
Dallas	10,400	133	95	5	3	12.8	9.1	37.6	22.6
Daviess	11,100	125	128	7	3	11.3	11.5	56.0	24.0
DeKalb	8,100	55	59	-	2	6.8	7.3	-	36.4
Dent	11,000	221	88	5	2	20.1	8.0	22.6	9.0
Douglas	12,900	182	73	5	2	14.1	5.7	27.5	11.0
Dunklin	45,000	1,138	349	64	26	25.3	7.8	56.2	22.8
Franklin	34,900	1,082	375	33	16	31.0	10.7	30.5	14.8
Gasconade	12,300	111	115	9	2	9.0	9.3	81.1	18.0
Gentry	11,200	119	127	4	4	10.6	11.3	33.6	33.6
Greene	107,200	3,136	1,461	97	50	29.3	13.6	30.9	15.9
Grundy	13,100	302	212	8	6	23.1	16.2	26.5	19.9
Harrison	14,200	250	144	1	10	17.6	10.1	4.0	40.0
Henry	22,300	456	280	12	10	20.4	12.6	26.3	21.9

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949 - Continued

	NUMBER				RATES*			
	Popula- tion	Live Births	Deaths	Infant Still Deaths Births	Live Births	Deaths	Infant Still Deaths Births	
Hickory	5,500	44	42	-	8.0	7.6	-	-
Holt	10,000	87	83	3	8.7	8.3	34.5	-
Howard	11,900	150	126	5	12.6	10.6	33.3	33.3
Howell	22,600	569	241	19	25.2	10.7	33.4	19.3
Iron	10,100	482	130	19	47.7	12.9	39.4	18.7
Jackson	523,300	14,647	6,250	438	28.0	11.9	29.9	18.6
Jasper	76,900	1,997	1,034	50	26.0	13.4	25.0	16.5
Jefferson	37,100	295	312	11	8.0	8.4	37.3	13.6
Johnson	22,100	328	221	11	14.8	10.0	33.5	27.4
Knox	7,700	63	73	4	8.2	9.5	63.5	15.9
Laclede	18,900	433	194	17	22.9	10.3	39.3	23.1
Lafayette	25,400	332	252	6	13.1	9.9	18.1	24.1
Lawrence	23,400	332	287	12	14.2	12.3	36.1	21.1
Lewis	10,700	69	128	2	6.4	12.0	29.0	14.5
Lincoln	12,900	55	113	-	4.3	8.8	-	18.2
Linn	18,900	421	247	16	22.3	13.1	38.0	16.6
Livingston	16,600	406	221	9	24.5	13.3	22.2	7.4
McDonald	14,200	163	134	4	11.5	9.4	24.5	6.1
Macon	18,400	256	259	5	13.9	14.1	19.5	19.5
Madison	10,300	133	79	5	12.9	7.7	37.6	30.1
Maries	6,800	92	41	1	13.5	6.0	10.9	10.9
Marion	29,900	970	500	25	32.4	16.7	25.8	28.9
Mercer	7,300	140	76	2	19.2	10.4	14.3	21.4
Miller	13,800	268	97	7	19.4	7.0	26.1	14.9
Mississippi	22,400	556	190	22	24.8	8.5	39.6	12.6
Moniteau	10,900	199	121	6	18.3	11.1	30.2	15.1
Monroe	11,500	49	103	1	4.3	9.0	20.4	102.0
Montgomery	11,600	61	112	3	5.3	9.7	49.2	16.4
Morgan	10,200	106	99	-	10.4	9.7	-	9.4
New Madrid	39,300	957	268	56	24.4	6.8	58.5	18.8
Newton	28,500	514	264	22	18.0	9.3	42.8	15.6
Nodaway	24,000	815	308	18	34.0	12.8	22.1	8.6
Oregon	12,000	179	79	4	14.9	6.6	22.3	16.8
Osage	12,500	70	70	-	5.6	5.6	-	-
Ozark	9,000	185	52	3	20.6	5.8	16.2	10.8
Pemiscot	45,500	934	343	77	20.5	7.5	82.4	21.4
Perry	14,900	163	91	3	10.9	6.1	18.4	-
Pettis	33,600	697	458	38	20.7	13.6	54.5	18.7
Phelps	21,100	214	230	13	10.1	10.9	60.7	18.7
Pike	16,900	389	213	13	23.0	12.6	33.4	25.7
Platte	14,100	6	99	3	0.4	7.0	500.0	-
Polk	16,100	229	168	5	14.2	10.4	21.8	8.7
Pulaski	10,200	612	152	9	60.0	14.9	14.7	21.2
Putnam	8,800	145	111	5	16.5	12.6	34.5	13.8
Ralls	8,800	20	58	1	2.3	6.6	50.0	-
Randolph	23,000	535	336	11	23.3	14.6	20.6	16.8
Ray	16,100	88	145	6	5.5	9.0	68.2	11.4
Reynolds	7,100	106	44	2	14.9	6.2	18.9	28.3
Ripley	11,500	241	90	6	21.0	7.8	24.9	29.0

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1949 - Continued

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
St. Charles	29,500	894	312	17	19	30.3	10.6	19.0	21.3
St. Clair	12,500	112	82	2	1	9.0	6.6	17.9	8.9
St. Francois	35,300	858	460	33	17	24.3	13.0	38.5	19.8
Ste. Genevieve	11,200	157	77	7	1	14.0	6.9	44.6	6.4
St. Louis	394,600	4,106	3,097	109	76	10.4	7.8	26.5	18.5
Saline	26,800	477	342	17	9	17.8	12.8	35.6	18.9
Schuyler	5,800	37	56	2	1	6.4	9.7	54.1	27.0
Scotland	7,400	15	75	3	1	2.0	10.1	200.0	66.7
Scott	32,500	918	282	38	24	28.2	8.7	41.4	26.1
Shannon	8,600	82	43	2	-	9.5	5.0	24.4	-
Shelby	9,600	64	110	1	1	6.7	11.5	15.6	15.6
Stoddard	33,300	611	239	20	14	18.3	7.2	32.7	22.9
Stone	9,900	96	55	1	5	9.7	5.6	10.4	52.1
Sullivan	11,200	89	123	7	-	7.9	11.0	78.7	--
Taney	9,900	101	80	2	-	10.2	8.1	19.8	-
Texas	19,100	302	182	10	2	15.8	9.5	33.2	6.6
Vernon	24,900	368	441	10	6	14.8	17.7	27.2	16.3
Warren	7,300	104	103	1	1	14.2	14.1	9.6	9.6
Washington	14,800	293	115	10	5	19.8	7.8	34.1	17.1
Wayne	10,700	94	66	3	-	8.8	6.2	31.9	-
Webster	15,200	170	125	2	1	11.2	8.2	11.8	5.9
Worth	5,200	39	45	1	-	7.5	8.7	25.6	-
Wright	15,900	252	135	6	6	15.8	8.5	23.8	23.8
St. Louis City	849,800	26,177	11,383	665	566	30.8	13.4	25.4	21.6
Cape Girardeau		1,565	424	56	29				
Carthage		407	173	9	7				
Clayton		577	506	25	17				
Columbia		873	271	20	8				
Hannibal		942	422	25	28				
Independence		1,191	281	25	25				
Jefferson City		870	263	21	19				
Joplin		1,373	550	31	23				
Kansas City		13,278	5,591	407	244				
Kirksville		747	324	23	8				
Kirkwood		8	134	1	-				
Maplewood		2	75	1	-				
Moberly		470	245	11	9				
Poplar Bluff		1,090	331	64	31				
Richmond Heights		3,110	304	60	46				
St. Charles		852	212	15	17				
St. Joseph		2,193	1,369	77	39				
Sedalia		682	355	37	11				
Springfield		2,748	1,147	81	39				
University City		4	151	-	-				
Webster Groves		1	96	2	1				

*Rates for Live Births and Deaths are per 1,000 population.

Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.

Rates for cities not given as population figures were not available.

TABLE D

STILLBIRTHS - MISSOURI: 1949

Period of Gestation	Recorded			Resident		
	White	Negro	Total	White	Negro	Total
5 months	159	50	209	149	44	193
6 months	143	32	175	137	32	169
7 months	156	41	197	150	37	187
8 months	185	33	218	174	29	203
9 months	665	134	799	648	128	776
Unknown	101	15	116	98	15	113
Totals	1,409	305	1,714	1,356	285	1,641

TABLE E

RESIDENT BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER, SEX
AND COLOR OF CHILD - MISSOURI: 1949

	URBAN				RURAL			
	WHITE		NEGRO		WHITE		NEGRO	
	Male	Female	Male	Female	Male	Female	Male	Female
All Ages	17,869	16,728	3,055	3,102	21,980	20,696	902	874
10-14	4	10	22	27	10	20	12	12
15-19	1,964	1,824	712	695	3,066	2,865	249	221
20-24	6,121	5,845	969	1,110	7,038	6,648	233	235
25-29	5,144	4,788	686	690	5,635	5,315	153	156
30-34	2,872	2,664	391	347	3,570	3,267	123	118
35-39	1,414	1,266	226	176	1,977	1,923	85	96
40-44	326	302	45	54	595	581	36	26
45-49	20	21	4	1	49	42	3	4
50-54	-	-	-	-	-	1	-	-
Unknown	4	8	-	2	40	34	8	6

TABLE F

NUMBER OF RESIDENT LIVE BIRTHS BY AGE OF MOTHER, COLOR
AND SEX. MISSOURI: 1949

AGE OF MOTHER	Grand Total	Total		White		Negro	
		Male	Female	Male	Female	Male	Female
All Ages	85,206	43,806	41,400	39,849	37,424	3,957	3,976
10-14	117	48	69	14	30	34	39
15-19	11,596	5,991	5,605	5,030	4,689	961	916
20-24	28,199	14,361	13,838	13,159	12,493	1,202	1,345
25-29	22,567	11,618	10,949	10,779	10,103	839	846
30-34	13,352	6,956	6,396	6,442	5,931	514	465
35-39	7,163	3,702	3,461	3,391	3,189	311	272
40-44	1,965	1,002	963	921	883	81	80
45-49	144	76	68	69	63	7	5
50-54	1	-	1	-	1	-	-
Unknown	102	52	50	44	42	8	8

TABLE G

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES.
THREE MISSOURI AREAS: 1949

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR						
Grand Total	85,206	40,754	44,452	100.0	100.0	100.0
Total Male	43,806	20,924	22,882	51.4	51.3	51.5
Total Female	41,400	19,830	21,570	48.6	48.7	48.5
White Total	77,273	34,597	42,676	90.7	84.9	96.0
Male	39,849	17,869	21,980	46.8	43.8	49.4
Female	37,424	16,728	20,696	43.9	41.1	46.6
Negro Total	7,933	6,157	1,776	9.3	15.1	4.0
Male	3,957	3,055	902	4.6	7.5	2.0
Female	3,976	3,102	874	4.7	7.6	2.0
ATTENDANT - COLOR						
Grand Total	85,206	40,754	44,452	100.0	100.0	100.0
M. D.	72,856	38,660	34,196	85.5	94.9	76.9
Osteopath	10,852	1,941	8,911	12.7	4.8	20.0
Midwife	1,132	133	999	1.3	0.3	2.2
Others	365	20	345	0.4	0.0	0.8
Unknown	1	-	1	0.0	-	0.0
White Total	77,273	34,597	42,676	90.7	84.9	96.0
M. D.	65,874	32,581	33,293	77.3	79.9	74.9
Osteopath	10,576	1,904	8,672	12.4	4.7	19.5
Midwife	503	96	407	0.6	0.2	0.9
Others	319	16	303	0.4	0.0	0.7
Unknown	1	-	1	0.0	-	0.0
Negro Total	7,933	6,157	1,776	9.3	15.1	4.0
M. D.	6,982	6,079	903	8.2	14.9	2.0
Osteopath	276	37	239	0.3	0.1	0.6
Midwife	629	37	592	0.7	0.1	1.3
Others	46	4	42	0.1	0.0	0.1
Unknown	-	-	-	-	-	-
LEGITIMACY - COLOR						
Legitimate Total	82,288	38,925	43,363	96.5	95.5	97.5
White	76,029	34,046	41,983	89.2	83.5	94.4
Negro	6,259	4,879	1,380	7.3	12.0	3.1
Illegitimate Total	2,858	1,818	1,040	3.4	4.5	2.4
White	1,191	541	650	1.4	1.3	1.5
Negro	1,667	1,277	390	2.0	3.2	0.9
Unknown Total	60	11	49	0.1	0.0	0.1
White	53	10	43	0.1	0.0	0.1
Negro	7	1	6	0.0	0.0	0.0

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES.
THREE MISSOURI AREAS: 1949 - Continued

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
DEFORMITY - COLOR						
Deformed Total	1,160	585	575	1.4	1.4	1.3
White	1,090	539	551	1.3	1.3	1.2
Negro	70	46	24	0.1	0.1	0.1
Not Deformed Total	82,807	39,776	43,031	97.2	97.6	96.8
White	75,048	33,717	41,331	88.1	82.7	93.0
Negro	7,759	6,059	1,700	9.1	14.9	3.8
Not Stated or Unknown Total	1,239	393	846	1.4	1.0	1.9
White	1,135	341	794	1.3	0.8	1.8
Negro	104	52	52	0.1	0.2	0.1
PREMATURITY - ATTENDANT						
Full Term Total	82,169	39,186	42,983	96.4	96.2	96.7
M. D.	70,140	37,155	32,985	82.3	91.2	74.2
Chiropractor	5	1	4	-	-	-
Osteopath	10,549	1,882	8,667	12.4	4.6	19.5
Midwife	1,120	129	991	1.3	0.3	2.2
Others	354	19	335	0.4	-	0.8
Unknown	1	-	1	-	-	-
Premature Total	3,037	1,568	1,469	3.6	3.8	3.3
M. D.	2,716	1,505	1,211	3.2	3.7	2.7
Chiropractor	-	-	-	-	-	-
Osteopath	303	59	244	0.4	0.1	0.5
Midwife	12	4	8	-	-	-
Others	6	-	6	-	-	-
Unknown	-	-	-	-	-	-
MONTH OF OCCURRENCE						
Total	85,206	40,754	44,452	100.0	100.0	100.0
January	7,393	3,582	3,811	8.7	8.8	8.6
February	6,746	3,282	3,464	7.9	8.1	7.8
March	7,256	3,496	3,760	8.5	8.6	8.5
April	6,176	2,878	3,298	7.2	7.1	7.3
May	6,162	2,897	3,265	7.2	7.1	7.3
June	6,379	3,109	3,270	7.5	7.6	7.4
July	7,598	3,592	4,006	8.9	8.8	9.0
August	7,858	3,740	4,118	9.2	9.1	9.3
September	7,666	3,670	3,996	9.0	9.0	9.0
October	7,621	3,580	4,041	9.0	8.8	9.1
November	7,215	3,456	3,759	8.5	8.5	8.5
December	7,136	3,472	3,664	8.4	8.5	8.2

Percentages are computed on the basis of total white and negro live births.
Urban areas include cities of over 10,000 population according to 1940 census.
All other areas are included in "Rural".

TABLE H

RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR, WITH RATES BY CAUSE
AND COLOR. MISSOURI: 1949

CAUSE OF DEATH	Color	Number	Rate	Under	Over	Over	Over	Over
				1 hour	1 hour	1 day	1 week	1 month
					under	under	under	under
					1 day	1 week	1 month	1 year
All Causes	Total	2,559	30.0	144	767	616	278	754
	White	2,215	28.7	125	665	551	241	633
	Negro	344	43.4	19	102	65	37	121
Infectious Diseases (20-138)	Total	61	0.7			1	9	51
	White	51	0.7				6	45
	Negro	10	1.3			1	3	6
Respiratory Diseases (1-19,470-527)	Total	257	3.0		1	5	8	243
	White	210	2.7		1	4	7	198
	Negro	47	5.9			1	1	45
Gastro-Intestinal Diseases (543-545, 571-573)	Total	102	1.2			2		100
	White	82	1.1			2		80
	Negro	20	2.5					20
Malformations (750-759)	Total	350	4.1	18	67	86	67	112
	White	318	4.1	17	64	81	61	95
	Negro	32	4.0	1	3	5	6	17
Injury at Birth (760- 761)	Total	183	2.1	21	83	73	4	2
	White	156	2.0	16	71	63	4	2
	Negro	27	2.6	5	12	10		
Other Diseases of Early Infancy (762-773)	Total	611	7.2	33	205	216	120	37
	White	552	7.1	31	188	202	102	29
	Negro	59	7.4	2	17	14	18	8
Premature Birth (774- 776)	Total	707	8.3	64	383	203	39	18
	White	591	7.6	53	317	174	33	14
	Negro	116	14.6	11	66	29	6	4
All Other Causes	Total	288	3.4	8	28	30	31	191
	White	255	3.3	8	24	25	28	170
	Negro	33	4.2		4	5	3	21

Number following causes of death are those of the International List,
1948 Revision.

Rates are per 1,000 Live Births.

TABLE I

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES.
MISSOURI: 1949

CAUSE OF DEATH	Number			Rates		
	Total	White	Negro	Total	White	Negro
All Puerperal Causes (640-689)	72	56	16	0.85	0.72	2.02
Abortion with Infection (651)	3	-	3	0.04	-	0.38
Abortion without Mention of Infection (650,652)	5	3	2	0.06	0.04	0.25
Puerperal Hemorrhage (643,648,670,671,672,687)	22	18	4	0.26	0.23	0.50
Puerperal Infection (640,641,645.1,680,681)	2	1	1	0.02	0.01	0.13
Toxemias of Pregnancy (642,685,686)	23	19	4	0.27	0.25	0.50
Other Accidents of Childbirth (673-678)	2	2	-	0.02	0.03	-
Other Puerperal Causes	15	13	2	0.18	0.17	0.25

Rates are per 1,000 Live Births.

Numbers in parentheses refer to code numbers in 6th Revision of
International Statistical Classification of Causes of Death, 1948.

TABLE J

TEN LEADING CAUSES OF DEATH WITH RATES, MISSOURI: 1949
RESIDENT

CAUSE	White	Negro	Total	Rates
1. Heart Disease (410-443)	13,852	1,259	15,111	385.5
2. Malignant Neoplasms (140-205)	5,776	456	6,232	159.0
3. Cerebral Hemorrhage (330-334)	4,303	466	4,769	121.7
4. Accidents (800-965)	2,439	219	2,658	67.8
5. Malformation and Diseases of early Infancy (750-776)	1,698	236	1,934	49.3
6. Diseases of Digestive System (530-587)	1,541	173	1,714	43.7
7. Arteriosclerosis (450)	1,513	91	1,604	40.9
8. Pneumonia (490-493)	1,095	177	1,272	32.4
9. Nephritis and Nephrosis (590-594)	1,066	141	1,207	30.8
10. Tuberculosis (001-019)	834	232	1,066	27.2

Rates are per 100,00 population.

Numbers in parentheses refer to code numbers in 6th Revision of
International Statistical Classification of Causes of Death, 1948.

TABLE K

RECORDED ACCIDENTAL DEATHS BY TYPE AND AGE.. MISSOURI: 1949

TYPE OF ACCIDENT		All Ages (A)	0-4 (B)	5-14 (C)	15-24 (D)	25-44 (E)	45-64 (F)	65 and Over (G)	Age Unknow (H)
I. GRAND TOTAL		2,633	189	143	271	476	499	1,050	5
OCCUPATIONAL (except public transportation)	2. OCCUPATIONAL TOTAL	143		2	14	46	54	27	
	3. Agriculture	55		2	2	11	21	19	
	4. Mining, Quarrying, Oil and Gas Wells	10				6	4		
	5. Manufacturing	5				2	2	1	
	6. Construction	10				6	3	1	
	7. Transportation				3	7	2		
	8. Public Utilities	12			1				
	9. Trade	1							
	10. Service				8	14	19	6	
	11. Other Specified Industry	47					3		
	12. Unspecified Industry	3							
HOME	13. HOME TOTAL	1,205	135	62	31	74	144	758	1
	14. Poisonings (gas excepted)	22	11	3	1	5	2		
	15. Poisonings by Gases and Vapors	21	4		1	6	3	7	
	16. Fire, Explosion of Combustible Material	187	39	16	9	19	43	60	1
	17. Hot Substance, Corrosive Liquid, Steam	12	6				1	5	
	18. Mechanical Suffocation	41	37	1		1	1	1	
	19. Firearms	58	2	16	9	17	11	3	
	20. Falls on Same Level	461	4	4	1	6	37	409	
	21. Falls to Different Level or Unspecified	300	1	5		10	30	254	
	22. Other Specified Home Accidents	97	30	15	9	9	15	19	
	23. Unspecified Home Accidents	6	1	2	1	1	1		
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	837	47	42	159	243	189	155	2
	25. Injury to Pedestrian	215	27	21	11	28	51	76	1
	26. Collision with Other Motor Vehicle	293	8	6	59	98	70	52	
	27. Collision with Railroad Train	39		1	3	19	11	5	
	28. Collision with Street Car	2			1		1		
	29. Injury to Pedal Cyclist	9		7	1			1	
	30. Collision with Animal-drawn Vehicle or Animal	2		1			1		
	31. Collision with Fixed Object	46	4		14	17	8	3	
	32. Non-Collision	228	7	5	70	80	47	18	1
	33. Other and Unspecified Accident	3	1	1		1			
PUBLIC	34. PUBLIC NONMOTOR-VEHICLE TOTAL (Priority given to Items 35 to 39)	443	7	37	67	111	110	109	2
	35. Railroad—Not with Motor Vehicle	35	1	2	4	7	13	8	
	36. Street Car—Not with Motor Vehicle	9					4	5	
	37. Other Vehicle—Not with Motor Vehicle	1						1	
	38. Water Transportation								
	39. Air Transportation	41			13	21	6	1	
	40. Fire, Explosion of Combustible Material	12	1	1	1	2	5	2	
	41. Hot Substance, Corrosive Liquid, Steam								
	42. Drowning	129	3	23	29	40	24	8	2
	43. Firearms	12		3	1	3	2	3	
	44. Falls on Same Level	46		1		5	11	29	
	45. Falls to Different Level or Unspecified	45			2	3	17	23	
	46. Other Specified Public Accidents	90	2	6	15	26	23	18	
	47. Unspecified Public Accidents	23		1	2	4	5	11	
	48. Type of Accident Unknown	5				2	2	1	

TABLE L

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1949*

	Totals	Occupational Accidents	Home - Fire, and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
State Total	2620	141	190	758	253	210	294	328	129	91	221	5
Cities over 10,000	1002	51	81	397	75	107	45	45	27	70	101	3
Rural	1618	90	109	361	178	103	249	283	102	21	120	2
Counties exc. Cities over 10,000												
Adair	3			1			1				1	
Andrew	13	3	1		1		3	4	1			
Atchison	6			2	3				1			
Audrain	28	3	3	9		2	5	3			3	
Barry	15	1		2	4	2	1	4	1			
Barton	5		1	2	1			1				
Bates	17	2		9	1			3	1	1		
Benton	8			1	2	1		1			3	
Bollinger	5					1	2	1			1	
Boone	11	1		4	1		4				1	
Buchanan	14	2	1	3	1			3	3		1	
Butler	29		2	2	13	2	2	4	4			
Caldwell	6			3				2		1		
Callaway	39	1	1	14	3	3	7	5	2	1	2	
Camden	9		1	2	1			1	3		1	
Cape Girardeau	13	1		2	1	1	2	3	3			
Carroll	18	3	2	3	3	2	2	2			1	
Carter	7			2				4		1		
Cass	20	1		3	1	1	6	6			2	
Cedar	11		1	4	1			4	1			
Chariton	11	1		2	1	2	1	2	1		1	
Christian	11	1		5			3	2				
Clark	5			2	1		2					
Clay	46	1	6	8	6	4	6	8	2	1	4	
Clinton	16	1		8	1		2	2		2		
Cole	6		2	3				1				
Cooper	18	1		4	4	1	1	2	2		3	
Crawford	19	1		2	3		8	2	2	1		
Dade	8		1	4	1		1	1				
Dallas	11		1	1	1		2	1	2		3	

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1949*
(Continued)

	Totals	Occupational Accidents	Home - Fire, and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collis- sion with Pedestrian	Motor Vehicle - Collis- sion with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Daviess	16			10	1	1		4				
DeKalb	4			1		2	1					
Dent	6					2		3			1	
Douglas	4	2						2				
Dunklin	24	1	4	6	3	2	4	3	1		1	
Franklin	26	1	2	3	2	1	5	7	3	1		
Gasconade	10			4	1	1		2	2			
Gentry	16			4	1		10	1				
Greene	19		1	3	3		2	7	1		2	
Grundy	11			5	2	1	2	1				
Harrison	8	1	1	2	1	1	1	1				
Henry	15		3	4	1		1	4	1		1	
Hickory	4		1	1	1						1	
Holt	4	1		2					1			
Howard	9	2		3				2			2	
Howell	11	3	2	3		2	1					
Iron	8				1		2	3	1		1	
Jackson	49	2	6	9	5	1	10	10	3		3	
Jasper	29	2	1	6	4		5	6		1	4	
Jefferson	27	1	2	3	4		5	6	3		2	1
Johnson	20	1	3	4		2	3	5			2	
Knox	2			1				1				
Laclede	19	3	1	2	3	2	1	5			2	
Lafayette	25	1	2	4	7	1	7		1		2	
Lawrence	24		3	7	3		4	5			2	
Lewis	8	1	1	1	3		1	1				
Lincoln	9	1			1	1	2	1	2		1	
Linn	13	2		4	1		1	3			2	
Livingston	10			6		1	1		1		1	
McDonald	13	3			2	2	2	2	1	1		
Macon	17		1	8	2		2	4				
Madison	9		1	2			2	2	2			
Maries	3			2				1				
Marion	15	1		3	1		7	1	1		1	
Mercer	2			1	1							
Miller	7	1			2		2	1	1			
Mississippi	13	1	1		3	1	2	2	1		2	
Moniteau	8	2	1	2			1	1			1	
Monroe	14	2		3	1	1	2	4			1	
Montgomery	11			2		1	3	3		1	1	

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1949*
(Continued)

	Totals	Occupational Accidents	Home - Fire, and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Morgan	10	1	2	1				2	3		1	
New Madrid	29		4	4	1	7	7	3	2	1		
Newton	19		6	4	3		2	3			1	
Nodaway	15	1	5	3	2	2	1	1				
Oregon	5		1	1		1		1		1		
Osage	11			3	1		2	4			1	
Ozark	4			2			1	1				
Pemiscot	30	1	5		7	6	4	4			3	
Perry	13	2		3	2	3			3			
Pettis	18	1	1	1	1		4	6	2		2	
Phelps	29	1	1	2			7	5	1	1	11	
Pike	19	1	1	5	3		3	1	2		3	
Platte	14		1	1	1	2	3	3	1		2	
Polk	12	1		4	3		1	3				
Pulaski	9	1		3	1		1	1	2			
Putnam	10		2	5	1			2				
Ralls	6		1	3		1		1				
Randolph	5			1		1	1	1	1			
Ray	7	1		1		1	1	1	2			
Reynolds	5					1		4				
Ripley	3			1							2	
St. Charles	16			4	1	1	1	3	6			
St. Clair	12	1	1	2	2	1		1	3		1	
St. Francois	21	2		4	1	2	3	5	1		3	
Ste. Genevieve	8	1			1		4	2				
St. Louis	113	3		30	6	12	18	22	5	3	14	
Saline	14			3	1	3	3		2		2	
Schuyler	2		1				1					
Scotland	14	1	1	6	1	1	3	1				
Scott	20	2	2	3	3	2	3	3			2	
Shannon	3		1	1							1	
Shelby	6	1		2	1			2				
Stoddard	29	2	1	1	9	3	6	3	2	1		1
Stone	7		1	3	1	1		1				
Sullivan	5	1		3	1							
Taney	6					1		1	2		2	
Texas	16	1	2		2		6	1	2		2	
Vernon	19	2		9	1		5	1		1		
Warren	6	1	2	3								
Washington	9	1	1	2	3						2	
Wayne	17		2		1	2		6	4		2	
Webster	17		2	4	2	1	3	4	1			

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1949*
(Continued)

	Totals	Occupational Accidents	Home - Fire, and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Worth	4						2	2				
Wright	11	1	2	5				2		1		
<hr/>												
Cities of 10,000 or more population												
Cape Girardeau	33			20	7			3	1		2	
Carthage	12	1		8	1	1		1				
Clayton	8			2		2	1	1	1	1		
Columbia	8			3		1	3				1	
Hannibal	15		1	2	1	3	1	1	2		4	
Independence	11		1	6		1	1	1		1		
Jefferson City	5			3		1				1		
Joplin	20		1	11		1		3	1	1	2	
Kansas City	228	18	30	83	15	19	6	7	6	14	28	2
Kirksville	6	1		1	1	2	1					
Kirkwood	4		1	1			1			1		
Maplewood	3			1					1		1	
Moberly	11	1		7		1	1		1			
Poplar Bluff	7		3	2				1	1			
Richmond Heights	3			1		1				1		
Sedalia	15		2	5	3		1	2			2	
Springfield	37	1	5	15	4	1	3	4		3	1	
St. Charles	9			4		2	2					1
St. Joseph	50	2	3	25	5	4	3	3		2	3	
St. Louis	503	25	34	191	37	64	21	18	13	45	55	
University City	9			4		3					2	
Webster Groves	5	2		2	1							

*Includes all accidental deaths in Missouri by place of occurrence of the accident except for non-residents injured in Missouri and dying in another state.

TABLE M

RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES FOR THE STATE: 1949

		All Ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 and over	Un- known
TOTAL	DEATHS	43,708	2,559	485	230	196	295	392	471	514	2,038	4,054	7,074	10,324	10,741	4,295	40
Total	Male	24,610	1,449	288	151	116	193	260	273	286	1,170	2,540	4,434	5,942	5,515	1,964	29
Total	Female	19,098	1,110	197	79	80	102	132	198	228	868	1,514	2,640	4,382	5,226	2,331	11
TOTAL	WHITE	39,461	2,215	423	206	174	253	320	370	405	1,606	3,294	6,156	9,563	10,307	4,138	31
Male		22,285	1,263	253	135	103	173	215	229	229	977	2,110	3,897	5,514	5,284	1,881	22
Female		17,176	952	170	71	71	80	105	141	176	629	1,184	2,259	4,049	5,023	2,257	9
TOTAL	NEGRO	4,247	344	62	24	22	42	72	101	109	432	760	918	761	434	157	9
Male		2,325	186	35	16	13	20	45	44	57	193	430	537	428	231	83	7
Female		1,922	158	27	8	9	22	27	57	52	239	330	381	333	203	74	2

CAUSES OF DEATH

	1,006		6	3	8	17	32	67	54	170	192	192	181	71	12	1
Tuberculosis of respiratory syst. (001-008)	60	4	8	2		2	3	4	4	6	10	8	6	2	1	
Tuberculosis, other forms (010-019)	250	3				1	1	1	2	28	73	69	53	17	2	
Syphilis and its sequelae (020-029)	4	1										1	1	1		
Typhoid fever (040)																
Paratyphoid fever (041)											1	1				
Infant fever (044)	2															
Oscillatory dysentery (045)	3	1	1										1			
Ambic dysentery (046)	1												1			
Other and unspecified dysentery (047-048)	12	7	2					1		1		1	1		1	
Scarlet fever and strep. sore throat (050-051)	11	1	3	2		1					1			1		
Diphtheria (055)	20	1	12	6				1								
Whooping cough (056)	25	16	9													
Menigeococcal infections (057)	24	3	10	3	3	1		1		1	1		1			
Tularemia (059)	3								1				1			
Tetanus (061)	6		1	1			1	1	1				1			
Acute poliomyelitis (080)	133	9	29	23	18	16	9	7	8	12	1	1				
Acute infect. encephalitis (082)	11		2	1	1	1			1	1		1	2	1		
Smallpox (084)	-															
Measles (085)	22	7	11	2								1	1			
Rocky mtn. spotted fever (104)	3			1								2				
Typhus and other rickettsial dis. (100-103; 105-108)	-															
Salaria (110-117)	1	1														
Other infect. & parasitic dis. (030-138, excl. above)	80	11	8	2			1	1		9	7	11	17	10	2	1
Malignant neoplasms (140-205)	6,232	7	30	15	13	19	21	51	73	365	858	1,487	1,732	1,254	304	3
Benign & unspecified neoplasms (210-239)	141	1	6	5	2	3	1	2	5	13	35	24	27	12	5	
Diabetes mellitus (260)	660		2	1	1	2	2	3	5	15	58	145	216	183	27	
Other allergic & metabolic dis. (240-289, excl. 260)	326	36	16	1		1	6	10	5	25	37	57	74	41	17	
Anemias (290-293)	160	2	3		2				5	9	19	42	65	13		
Other dis. of blood & blood forming organs (294-299)	27	2	3	1	3		1		1	4	6	2	3	1		
Mental & personality disorders (300-326)	143	2	5	4	3	3	3	13	21	31	22	11	21	4		
Vascular lesions affect. cent. nervous syst. (330-334)	4,769	4	4	4	1	4	7	9	18	130	304	731	1,349	1,605	587	12
Postmenigeococcal meningitis (340)	72	25	8	3	1	2	2	2	4	9	7	8	3			
Other dis. of nervous system (341-398)	362	15	14	9	7	10	10	8	15	28	35	48	91	57	15	
Pneumatic fever (400-402)	80	2		5	4	5	3	2	5	11	13	10	13	4	3	
Chronic rheumatic heart dis. (410-416)	655		1	5	6	3	7	17	10	53	81	113	139	141	79	
Atherosclerotic & degm. heart dis. (420-422)	11,450	3	3	3	6	4	11	33	266	941	1,993	3,277	3,506	1,400	4	
Other dis. of heart (430-434)	943	1	4	4	8	1	10	4	8	53	84	166	220	260	118	2
Hypertension w. heart dis. (440-443)	2,063				1	1	1	3	6	42	188	381	607	623	211	
Hypertension w/o mention of heart (444-447)	671					1	1	5	2	38	80	110	194	187	53	
Other dis. of circulatory system (450-466)	1,876			1	2	1	5	2	8	28	69	169	454	701	434	2
Influenza (480-483)	149	8	3	2	1	2	1	1	1	5	10	13	22	50	30	
Pneumonia (490-493)	1,272	211	52	13	10	7	12	14	12	50	95	134	187	296	178	1
Oronchitis (500-502)	78	16	6		1		1		3	8	6	8	18	11		
Other dis. of respiratory system (470-475; 510-527)	310	18	8	8		4	5	7	8	17	34	49	66	51	35	
Ulcer of stomach & duodenum (540-541)	185						2		1	15	35	42	41	40	8	
Appendicitis (550-553)	122	1	2	8	4	2	3	5	2	21	16	18	19	18	3	
Intestinal obstruction & hernia (560-561,570)	294	20	2	1		2	2	4	2	20	33	46	66	74	21	1
Gastritis, duodenitis, enteritis (543,571,572)	215	99	23	3	1		1		2	7	11	16	20	22	10	
Cirrhosis of liver (581)	428	2	3	1		1		4	5	51	73	114	108	55	11	
Other dis. of digestive system (530-587, excl. above)	470	14	7	1	1	3	1	9	8	32	60	102	117	87	28	
Nephritis and nephrosis (590-594)	1,207	1	9	6	5	5	14	13	14	55	103	188	285	349	159	1
Hyperplasia of prostate (610)	159											14	43	69	33	
Other dis. of genito-urinary system (600-637, excl. 610)	210	3	1		1	1	1	4	6	16	16	39	42	59	21	
Complications of pregnancy (640-652; 670-689)	72				2	9	16	13	16	16						
Dis. of skin & cellular tissue (690-716)	26						1			2	5	7	4	5		
Dis. of bones & organs of movement (720-749)	106				1		1	2		3	10	13	24	43	9	
Concennial malformations (750-759)	433	350	44	12	4	2	3	2	2	5	6	2	1			
Birth injuries, atelectasis (760-762)	503	503														
Infections of newborn (763-768)	105	105														
Other dis. peculiar to early infancy (769-776)	893	893														
Senility and ill-defined dis. (780-795)	815	66	12	3		2	4		8	36	51	87	125	216	200	5
Motor vehicle accidents (810-835)	849	8	36	23	17	85	94	76	54	114	101	82	101	47	9	2
All other accidents (800-802; 840-965)	1,809	69	76	44	56	52	56	60	43	120	144	181	234	440	231	3
Suicide & self inflicted injury (970-979)	480				2	10	20	21	29	73	92	114	79	30	9	1
Homicide (980-985)	211	9		2	1	9	23	20	23	52	30	29	9	3		1
War operations (990-999)	-															

TABLE N
DIVISION OF HEALTH OF MISSOURI
RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1949

DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1949

	Other Infectious and Parasitic Diseases (030-138) exc. above	Rocky Mountain Spotted Fever (104)	Measles (085)	Acute Infectious Rheophalitis (082)	Acute Poliomyelitis (080)	Tetanus (061)	Relarantia (059)	Meningococcal Infections (057)	Whooping Cough (056)	Diphtheria (055)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Other and Unspecified Dysentery (047-048)	Bacillary Dysentery (045)	Undulant Fever (044)	Typhoid Fever (040)	Syphilis, Age 1 Year and over (020-029)	Tuberculosis, other forms (010-019)	Tuberculosis of Respira- tory System (001-008)	Totals
State Total	78	2	22	11	130	7	3	27	26	19	13	11	5*	3	3	231	58	1,039	1,688
Cities over 10,000	43	1	3	5	120	6	-	22	9	7	4	2	2	2	2	153	45	500	926
Rural	35	1	19	6	10	1	3	5	17	12	9	9	3*	1	1	78	13	539	762
Counties exc. Cities over 10,000:																			
Adair											1					1		2	4
Andrew																			
Atchison																			
Audrain			1			1												1	3
Barry															1			3	4
Barton																		3	3
Bates																		4	4
Benton																		1	2
Bollinger																1		2	4
Boone																			1
Buchanan																		4	5
Butler			1								1					1		2	7
Caldwell			2								1					1			2
Callaway																13	2	12	32
Camden				1	2														1
Cape Girardeau																			4
Carroll																1		2	4
Carter																			
Cass																		1	2
Cedar																			
Chariton																		3	3
Christian																1		6	7
Clark																			
Clay																		19	20
Clinton			1																1
Cole																			
Cooper																1		4	6
Crawford																		3	3
Dade																1		1	2
Dallas																3		3	6
Davies																		3	3
DeKalb																			
Dent																		2	4
Douglas			1				1									1		2	3
Dunklin																3		12	25
Franklin			2					1	1	1	1	1				1		1	5
Gasconade																		2	2
Gentry																		1	1
Greene																		12	16
Grundy								1								2	1	2	6
Harrison					2						1							1	1
Henry																		2	3
Hickory																			
Holt																1			1
Howard																		1	1
Howell																		4	6
Iron				1							1		1					2	5
Jackson									2		1							4	6
Jasper																1		29	30
Jefferson																3		7	12
Johnson																			1
Knox																			
Laclede																		5	7
Lafayette								1	1							2		3	5
Lawrence																	2	81	83
Lewis																		3	4

TABLE M - Continued

DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1949

	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Unlabeled Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (047-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Hemorrhagic Infections (057)	Tetanus (061)	Tularaemia (059)	Acute Infectious Mononucleosis (082)	Acute Poliomyelitis (080)	Measles (085)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Lincoln	1	1																	
Linn	1	1																	
Livingston	7	3	1																3
McDonald	4	3								1									
Macon	4	2		2															
Madison	2	1							1										
Maries																			
Marion	2	2																	
Mercer																			
Miller	2	1																	
Mississippi	10	7																	1
Moniteau	2		2							1					1	1			
Monroe																			
Montgomery	2	2																	
Morgan																			
New Madrid	27	15						4	1		5						2		
Newton	10	8		1															
Nodaway	8	1		3											1				
Oregon	7	3	1	1								1		1					1
Osage	2	1																	1
Ozark	4	2															1		
Pemiscot	19	8		2					1	4	2					2			2
Perry	3	2																	1
Pettis																			
Phelps	2	1																	1
Pike	2	1		1															
Platte																			
Folk	4	2	1																
Pulaski	2	1											1						
Putnam	3	3									1								
Ralls																			
Randolph																			
Ray	1	1																	
Reynolds	2	1																	
Ripley	7	5		1												1			
St. Charles																	1		
St. Clair																			
St. Francois	23	5		13				1											
Ste. Genevieve	2	2									1								3
St. Louis	149	136	2	7	1	1*													1
Saline	18	17										1							1
Schuyler																	1		
Sootland	1	1																	
Scott	13	8		1															
Shannon	1	1								2	1				1				
Shelby	3	1																	
Stoddard	11	5		1															1
Stone	3	2					1	1		1	2								1
Sullivan	2	1						1											1
Taney	3	3																	
Texas	5	4																	
Vernon	16	8		6						1						1		1	
Warren																			
Washington	4	4																	
Wayne	3	1	1	1															
Webster	1	1																	
Worth																			
Wright	4	1														1		1	1

TABLE N - Continued

DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1949

	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Unlabeled Fever (044)	Bacillary Dysentery (045)	Other and Unspecified Dysentery (047-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularemia (059)	Tetanus (061)	Acute Poliomyelitis (080)	Acute Infectious Encephalitis (082)	Measles (085)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
Totals																		
Cities of 10,000 or more population:																		
Cape Girardeau	16	1	1	4							2		1	6		1		
Carthage	2				1													1
Clayton	12	3		3						1	3			1				1
Columbia	9	3	1				1							4				
Hannibal	5		1	1							1			1				1
Independence	5	3																2
Jefferson City	5	3		1						1								
Joplin	24	16	2	2				1			1							2
Kansas City	199	122	17	26				1		2	2		2	20		1		6
Kirkville	7	2		1										4				
Kirkwood	8	4	1	2														1
Maplewood	1	1																
Moberly	1	1																
Poplar Bluff	16	3	2	1		1	1		3	2	1		1					1
Richmond Heights	8			4							1			1				2
Sedalia	13	7		2							1			2				1
Springfield	84	66	8	1	1				1	1				2				4
St. Charles	-																	
St. Joseph	48	18		19		1					2			5		1		2
St. Louis	463	247	12	86		1	1		2	3	2	8	2	74	5		1	19
University City	-																	
Webster Groves	-																	

There were no deaths reported in 1949 from Paratyphoid Fever, Rabies, Typhus and other Rickettsial diseases and Malaria.

*Bacillary Dysentery includes 1 death from Amebic Dysentery.

TABLE 0

REPORTED CASES OF 25 DISEASES BY COUNTY AND CITIES OF 25,000 AND OVER MISSOURI - 1949*

County figures exclude those
for cities of 25,000 or more
population in county.

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	DYSENTERY ALL FORMS	EP. SORE THROAT	ERYSIPELAS	GONORRHEA	INFLUENZA	MEASLES	MENINGITIS	MUMPS	PNEUMONIA	POLIOMYELITIS	SCARLET FEVER	SYPHILIS	TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
Adair			13					1		7			1	5	1			4		
Andrew			1					1		12	1			1	2			1		
Atchison			3							3	1			1	3					
Audrain		3	1	1				17	1	4		2	2	3				11		2
Barry																				
Barton		2	1					4			2			5				5		
Bates		4						2		35				3				6	1	
Benton		2						1		32	1	2	1	5	4			5		
Bollinger								1		1		2	1	3	5			2	5	
Boone													1	1				4	1	
Columbia								6		2		1		2				3		
Buchanan			14	1						110		3		5	13			9		
St. Joseph		1	20	2				39		26	1		1	5	19					1
Butler		2	15	3				10		78	2	4	1	12	27			44	4	
Caldwell			7							5	1			15			5	29	8	2
Callaway			1	1				1		3			1	2	2					
Camden		2	1					3		31				5	2			12	1	
Cape Girardeau								1						4				4		
Carroll		7	4					2		9				4				4	1	
Carter								2						1				2		
Cass			12							23				7	6			4		
Cedar		5		1				1		40				1				3	1	
Chariton		1						6		33				2	1			4	1	

TABLE 0 - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	DYSENTERY ALL FORMS	EP. SORE THROAT	ERYSIPELAS	GONORRHEA	INFLUENZA	MEASLES	MENINGITIS	MUMPS	PNEUMONIA	POLIOMYELITIS	SCARLET FEVER	SYPHILIS	TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
Christian	1	3	1							1				1		15	4	8	1	
Clark	1									23	1			2		6		4		
Clay	1	2		4						6				15	1	23		17		
Clinton		5								4		6		3		8		3		
Cole	1	2						3						3		11	1	16		
Cooper														4		12				
Crawford		2						4		1			1	14		6	11			
Dade	3							2				1		3		3	5	2	1	
Dallas	2	2								8				2	1	9	1	5		
Davies								1		2						1				
Dent																				
DeKalb								1		4				1				1		
Douglas		2						2		7	1		1	1		9	27	13		3
Dunklin		2		1				1				1	7	22		2	4	9	1	
Franklin		1			1			37		26	1	3		23	7	40	11	25	1	1
Gasconade		8						3						8		6	8	13		
Gentry										2		3	1	1	1	3	12	3		
Greene	1	18				2								1	1	3	5			
Springfield		579		4				34	1	35		5		14	2	7	2	18	2	4
Grundy		1							1,100			22		22	20	45	5	52	1	2
Harrison		1						3						2				2		
Henry	6									1				5		32		1	1	
Hickory	3													2		3	1	2	3	
Holt														1			1			
Howard									42				1	2	1	21		2		
Howell	1	1						7		2				20	2	19	39	10	5	
Iron																8	2	6		1

TABLE 0 - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	DYSENTERY ALL FORMS	EP. SORE THROAT	ERYSIPELAS	GONORRHEA	INFLUENZA	MEASLES	MENINGITIS	MUMPS	PNEUMONIA	POLIOMYELITIS	SCARLET FEVER	SYPHILIS	TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
Jackson			2	1				13		24	1	3	1	16	18	42	1	8	1	4
Independence			1							4				1	7			11		1
Kansas City			1,400	10			252	1,106	68	4,287	6	218	139	165	208	712		371	6	122
Jasper	1		30		1			14		203	1	6	1	5	2	20	2	52	1	
Joplin			1					28		4				7		52		48	3	
Jefferson			4	1	1			5		2			4	9	4	26	2	12		2
Johnson			3	1							1	7	3	3	15	6		6		7
Knox	2							1								2				
Laclede	1		8	1		1		19		26	1	2	3	1	8	18	12	15	1	2
Lafayette	1		7					4		136	1	8		10	5	25		4		4
Lawrence	2		1	1				5		3				2	4	13		34	1	1
Lewis	2							1						2	3	8		4		
Lincoln			7	1						2			2	1		2		3		
Linn								9		1				5	1	11	2	2		
Livingston								4						3		9	1	3		
McDonald			1	3				9		7		16	4	1		9		14		
Macon	1		10					1		2	2	1		6		24		12		
Madison	1		2	1				1		1				4	3	7	1	6	1	
Maries			1											1	4		21	1		
Marion	1		12		1			37				1		2	12	33		8	2	4
Mercer										8				2						
Miller			5					1		2			2		2	10	18	3	1	
Mississippi			11	14				9		160	1	45	2	1	4	105	3	9	1	1
Moniteau								1		3		1	1	3		3		5		
Monroe	5		2					2								11		5		1
Montgomery			7					1	38	77		49	16	1	1	9		2		3
Morgan	5							2			1					9		3	2	

TABLE 0 - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	DYSENTERY ALL FORMS	EP. SORE THROAT	ERYSIPELAS	GONORRHEA	INFLUENZA	MEASLES	MENINGITIS	MUMPS	PNEUMONIA	POLIOMYELITIS	SCARLET FEVER	SYPHILIS	TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
New Madrid			1	7				26	1	3		1	2	23	1	216	1	21	2	1
Newton			1	2				9	7					1	11	35		15	1	
Nodaway			3	1										4	2	1		5		
Oregon		3	1	1				4					1	3		12	4	8	9	
Ozage														8	1	1	1	7	1	1
Ozark		1						4					1	10		1	7	8		
Pemiscot		1		14				35		3			5	76		237	5	41	3	1
Perry								2		1				3		3		1	2	5
Pettis		2	3					5		9		2	1	1	6	59	1	11	1	
Phelps		1	9	1	1			8		13		6	2	1	1	15	84	16		4
Pike																				2
Platte		2		2				1		2				2		30		13		
Polk		5	1	2				18		18		3		2		4		1		
Pulaski				2				7		5		95	1	4		9	1	6	5	
Putnam			38	2		2								1	24	11	41	13	2	1
Ralls		1		1																5
Randolph		4	18			1		1						1	1	1		4		1
Ray		3	2					2		12		118		9	32	77		8		
Reynolds		1						5		37				3	1	16		5	1	2
Ripley		2	5					1		18		2		1	1	2	3	4		
St. Charles																5		5		
St. Clair								3					1	8	2	7		3		
St. Francois													1	1		8		4		
St. Genevieve								4		1				53		37	2	14	1	
St. Louis County		1	137	9	3			338		63		175	26	168	108	6	5	2	2	24
University City			21			6				10	8	17		12	22	265	1	271	6	1

TABLE 0 - Continued

[illegible]

*In order to save space the following diseases are summarized below:

Encephalitis, Infectious

Callaway	1
Chariton	1
Maries	1

Malaria

1 Carter
1 Crawford
1 Newton
1 St. Joseph
1 Springfield

Rocky Mountain Spotted Fever

St. Louis County 2

Smallpox

Mississippi	1
Taney	1
Warren	4
Wayne	2

Tetanus

St. Louis County	1
Stoddard	1
St. Louis City	3

TABLE P

REPORTED CASES OF 22 SELECTED DISEASES FOR THE STATE OF MISSOURI
BY MONTH OF RECEIPT OF REPORT - 1949

Estimated population for July 1, 1949 - 3,920,000 Rates are per 100,000 population

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	Rates 1949	Rates 1948
Brucellosis	5	5	7	9	3	15	28	11	12	8	6	6	115	2.9	2.1
Chickenpox	668	430	584	476	335	128	45	12	12	51	99	215	3,055	77.9	82.7
Diphtheria	22	10	11	9	4	7	4	5	14	14	14	12	126	3.2	5.0
Dysentery, all forms	-	3	2	-	2	1	7	7	4	5	2	1	34	0.9	.6
Encephalitis, Infectious	1	-	-	-	1	-	-	-	1	-	-	-	3	0.08	.1
Ep. Sore Throat	3	3	3	3	1	1	2	-	-	-	1	-	17	0.4	1.8
Erysipelas	-	1	245	-	-	1	1	2	-	1	1	-	252	6.4	.1
Influenza	29	32	27	20	7	2	2	3	3	6	2	8	141	3.6	5.6
Malaria	2	-	-	2	-	-	-	1	-	-	-	-	5	0.1	.6
Measles	1,274	1,804	1,927	1,483	518	212	51	3	5	8	13	19	7,317	186.7	156.5
Meningitis, Epidemic	14	9	8	8	2	5	7	8	10	3	9	8	91	2.3	2.2
Mumps	110	84	239	270	275	109	99	40	26	46	58	55	1,411	36.0	141.0
Pneumonia	127	123	123	71	72	41	37	26	34	61	50	82	847	21.6	24.0
Polio myelitis	7	1	5	4	3	12	337	449	288	162	40	11	1,319	33.6	8.1
Rocky Mountain Fever	-	-	-	-	2	-	-	-	-	-	-	-	2	0.05	.2
Scarlet Fever	177	118	188	103	64	31	28	13	10	37	41	64	874	22.3	28.5
Smallpox	-	4	-	1	3	-	-	-	-	-	-	-	8	0.2	.1
Tetanus	-	1	-	-	-	1	3	-	-	-	-	-	5	0.1	.4
Trachoma	34	28	33	78	68	34	64	46	51	16	115	16	583	14.9	25.7
Tularemia	17	6	1	4	5	10	8	13	3	4	3	7	81	2.1	1.8
Typhoid Fever	6	5	6	2	3	5	19	13	12	12	15	8	106	2.7	1.9
Whooping Cough	27	17	23	11	18	26	19	23	31	36	44	70	345	8.8	18.5

TABLE AA

MARRIAGES BY YEAR OF BIRTH. MISSOURI, 1949
GROOM VS BRIDE

BRIDE'S BIRTH YEAR

	1861-1870	1871-1880	1881-1890	1891-1900	1901-1910	1911-1920	1921-1930	1931-1940	1941-1950	1951-1960	1961-1970	1971-1980	1981-1990	1991-2000	Totals
1852-1860	10	23	1	1	1	1	1	1	1	1	1	1	1	1	1
1861-1870	4	8	1	1	1	1	1	1	1	1	1	1	1	1	1
1871-1880	3	22	29	29	29	29	29	29	29	29	29	29	29	29	29
1881-1890	2	6	61	128	1,054	2,444	113	23	1	1	1	1	1	1	1
1891-1900															
1901-1910															
1911-1920															
1921-1930															
1931-1940															
1941-1950															
1951-1960															
1961-1970															
1971-1980															
1981-1990															
1991-2000															
Totals	20	143	488	1,073	2,387	1,854	2,723	5,652	9	1,846	2,414	2,754	3,107	3,721	34,689

GROOM'S BIRTH YEAR

TABLE BB

MARRIAGES BY MARITAL STATUS. MISSOURI: 1949

		Bride				
		<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Not Stated or Unknown</u>	<u>Total</u>
Groom	Single	20,953	539	2,612	29	24,133
	Widowed	433	965	701	2	2,101
	Divorced	2,477	716	3,989	3	7,185
	Not Stated or Unknown	20		5	1,245	1,270
		<u>23,883</u>	<u>2,220</u>	<u>7,307</u>	<u>1,279</u>	<u>34,689</u>

TABLE CC

DIVORCES BY YEAR OF MARRIAGE AND NUMBER OF CHILDREN AFFECTED.
MISSOURI: 1949

<u>Year of Marriage</u>	<u>Total Decrees</u>	<u>Decrees by Number of Children Affected</u>								
		<u>None</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7 or more</u>	<u>Un- known</u>
1884	1	1								
1893	1	1								
1894	1	1								
1896	2	2								
1899	1	1								
1900	1		1							
1901	1	1								
1902	3	3								
1903	3	2								
1904	2	2								1
1905	7	5		1	1					
1906	7	6	1							
1907	8	5	2							
1908	9	6	2	1						1
1909	5	5								
1910	14	11	2		1					
1911	15	11	1	1	1					
1912	21	20	1							1
1913	23	18	4		1					
1914	25	22	1	1	1					
1915	31	25	3	1	2					
1916	33	30	2							
1917	54	40	7	4	1	1				
1918	47	34	3	3	1	1	1			
1919	54	42	4	3	3	2	1		2	2
1920	89	58	12	11	3		1			4
1921	57	37	9	7	1	1	2			
1922	82	58	13	3	4	2	1			1
1923	79	47	17	6	3	5				1
1924	87	47	19	14	4	1	1			1
1925	108	67	18	9	8	2	1	1	1	1
1926	116	44	33	18	11	2	2	2	3	1

DIVORCES BY YEAR OF MARRIAGE AND NUMBER OF CHILDREN AFFECTED.
MISSOURI: 1949 (Continued)

Year of Marriage	Total Decrees	Decrees by Number of Children Affected								
		None	1	2	3	4	5	6	7 or More	Un- known
1927	124	56	22	22	8	6	6	2	1	1
1928	143	41	37	33	18	6	5	2	1	
1929	173	62	36	32	18	11	6	3	1	4
1930	188	66	43	25	22	10	11	4	3	4
1931	166	58	37	35	15	6	8	3	3	1
1932	143	53	30	26	14	7	4	3	5	1
1933	170	60	34	33	17	17	3	2	3	1
1934	208	69	50	50	16	12	4	4	3	
1935	239	109	50	35	20	14	3	1	1	6
1936	233	101	52	38	28	2	5	3		4
1937	269	127	40	52	28	13	5	2	1	1
1938	306	145	59	56	21	15	3	4		3
1939	335	164	66	60	23	13	4	1		4
1940	451	210	99	90	33	11	2	2		4
1941	546	255	145	91	27	16	2	3	1	6
1942	625	328	157	90	30	8	3			9
1943	623	346	164	75	21	5				12
1944	699	375	196	100	15		2			11
1945	1,008	596	296	93	16	1	2			4
1946	1,553	954	456	101	14	3	1		1	23
1947	1,519	1,122	330	34	8	3	1			21
1948	1,535	1,297	176	19	4	1				38
1949	599	522	33	9	4	1	1			29
Unknown or not stated	70	48	5	9	1					7
All Durations	12,912	7,816	2,768	1,291	467	199	91	42	30	208

TABLE DD

MARRIAGES: COLOR OF GROOM
MISSOURI: 1949

White	30,395
Colored	3,340
Other*	26
Unknown	928
Total	34,689

* Includes Indians, Mexicans,
Japanese, and Chinese

TABLE EE

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES: 1949

	Grooms					Brides				
	All Classes	* Single	Widowed	Divorced	Not Stated	All Classes	* Single	Widowed	Divorced	Not Stated
Total	34,689	24,133	2,101	7,185	1,270	34,689	23,883	2,220	7,307	1,279
Under 15	6	6				19	19			
15 - 19	1,955	1,927		10	18	9,150	8,788	9	250	103
20 - 24	13,178	12,362	26	665	125	11,757	10,181	78	1,399	99
25 - 34	10,917	7,972	141	2,719	85	7,155	3,823	377	2,886	69
35 - 44	3,745	1,282	288	2,125	50	3,072	721	505	1,802	44
45 - 54	1,983	384	492	1,075	32	1,478	199	564	694	21
55 - 64	1,135	112	586	411	26	668	58	410	190	10
65 - 74	558	25	399	127	7	279	14	215	43	7
75 and over	179	6	147	22	4	50	2	38	9	1
Not Stated	1,033	57	22	31	923	1,061	78	24	34	925

*Including annulments

TABLE FF

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
COMPLAINANT vs TO WHOM DECREE GRANTED. MISSOURI: 1949

Complainant	Decree to Whom Granted			Total
	Husband	Wife	Not Stated Or Unknown	
Husband	3,078	310	1	3,389
Wife	73	9,263	3	9,339
Other				
Not Stated or Unknown	6	32	146	184
Total	3,157	9,605	150	12,912

TABLE GG

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
COMPLAINANT vs DISPOSITION OF CHILDREN. MISSOURI: 1949

Complainant	Disposition of Children						No Children	Grand Total
	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated or Unknown		
Husband	311	461	1	33	14	97	917	3,389
Wife	122	3,607	6	51	38	93	3,917	9,339
Other								
Not Stated or Unknown	5	18		4	1	36	64	184
Total	438	4,086	7	88	53	226	4,898	12,912

TABLE HH

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
NUMBER OF CASES CONTESTED. MISSOURI: 1949

<u>Contestant</u>	<u>Number</u>
Husband	307
Wife	265
No Contest	12,188
Not Stated or Unknown	152
Total	<u>12,912</u>

TABLE JJ

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
ALIMONY AND SETTLEMENTS. MISSOURI: 1949

Alimony granted to wife	2,748
Alimony granted to husband	2
Property Settlement	67
Children	623
Both Alimony and Children	287
No Alimony or Settlement	8,889
Not Stated or Unknown	296
Total	<u>12,912</u>

TABLE KK

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
CAUSE OR GROUNDS ALLEGED. MISSOURI: 1949

<u>Cause</u>	<u>Number</u>
Adultery or Infidelity	149
Cruelty	239
Desertion or Gross Neglect and Vagrancy	2,167
Drunkenness	190
Non-Support (Incompetency)	288
Bigamy	17
Conviction of Crime (Felony)	64
Indignities - Incompatibility	9,565
Insanity or Feeble Minded	16
Annulment (Under Age)	83
Social Diseases	
Not Stated or Unknown	134
Total	<u>12,912</u>

TABLE LL

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
SEX AND COLOR - HUSBAND vs WIFE. MISSOURI: 1949

		Wife				
		White	Colored	Other	Unknown	Totals
Husband	White	10,813		3	87	10,903
	Colored		1,531	1	8	1,540
	Other	9		8		17
	Unknown	69	10		373	452
	Total	10,891	1,541	12	468	12,912

TABLE MM

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
STATE OF MARRIAGE. MISSOURI: 1949

1. Alabama	21	18. Maryland	33	35. Oregon	16
2. Arizona	64	19. Massachusetts	8	36. Pennsylvania	19
3. Arkansas	1,199	20. Michigan	48	37. Rhode Island	8
4. California	154	21. Minnesota	19	38. South Carolina	23
5. Colorado	45	22. Mississippi	193	39. South Dakota	6
6. Connecticut	6	23. Missouri	7,041	40. Tennessee	50
7. Delaware	4	24. Montana	302	41. Texas	147
8. Florida	33	25. Nebraska	45	42. Utah	10
9. Georgia	37	26. Nevada	73	43. Vermont	3
10. Idaho	10	27. New Hampshire	6	44. Virginia	25
11. Illinois	433	28. New Jersey	18	45. Washington	56
12. Indiana	78	29. New Mexico	31	46. West Virginia	10
13. Iowa	67	30. New York	62	47. Wisconsin	17
14. Kansas	1,688	31. North Carolina	22	48. Wyoming	10
15. Kentucky	93	32. North Dakota	7	49. District of Columbia	12
16. Louisiana	59	33. Ohio	49	50. Other Countries	88
17. Maine	8	34. Oklahoma	129	Not Stated or Unknown	327
					12,912

TABLE NN

ABSOLUTE DIVORCE AND ANNULMENT COMBINED
NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE. MISSOURI: 1949

Husband	Wife							Totals
	None	1	2	3	4	5 or More	Not Stated or Unknown	
None	6,149	1,193	207	33	6	3	49	7,640
1	1,167	1,589	406	82	22	7	28	3,301
2	191	403	237	59	15	4	5	914
3	45	95	58	27	10	2	4	241
4	8	35	23	4	3	2	1	76
5 or more	5	20	6	5	1	1		38
Not stated or Unknown	76	54	15	7	1		542	702
Totals	7,641	3,389	952	217	58	19	636	12,912

State Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	State Total				Urban Total		Rural Total	
	Total	Rate	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949								
3,980,000								
LIVE BIRTHS								
Attended by M.D.	85,206	21.7	77,273	7,933	34,597	6,157	42,676	1,776
Attended by D.O.	72,856		65,874	6,982	32,581	6,079	33,293	903
Attended by midwives	10,852		10,576	276	1,904	37	8,672	239
Others or unspecified	1,132		503	627	96	37	407	592
STILLBIRTHS								
Attended by M.D.	1,641	19.3	1,356	285	582	231	774	54
Attended by D.O.	1,364		1,118	246	523	206	595	40
Attended by midwives	218		209	9	42		167	9
Others or unspecified	6		3	3			3	2
TOTAL DEATHS								
Under one year of age	43,708	11.2	39,461	4,247	18,228	3,275	21,233	972
Neonatal deaths	2,559	30.0	2,215	344	888	218	1,327	126
Maternal deaths	1,805	21.3	1,582	223	694	159	888	64
	72	.8	56	16	17	12	37	4
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1006	25.7	793	213	404	176	389	37
Syphilis, under 1 year (020-029)	60	1.5	41	19	20	16	21	3
Syphilis, age 1 year and over (020-029)	3	.08	1	2			1	
Typhoid fever (040)	247	6.3	164	83	92	69	72	14
Paratyphoid fever (041)	4	.1	4		1		3	
Undulant fever (044)								
Bacillary dysentery (045)	2	.05	2		1		1	
Amebic dysentery (046)	3	.08	3		1		2	
Other and unspecified dysentery (047-048)	1	.03	1				1	
Scarlet fever and streptococcal sore throat (050-051)	12	.3	9	3	1	1	8	2
	11	.3	10	1	2	1	8	
Diphtheria (055)								
Whooping cough (056)	20	.5	16	4	2	1	14	3
Meningococcal infections (057)	25	.6	16	9	3		13	7
Tularemia (059)	24	.6	21	3	10	3	11	
Tetanus (061)	3	.08	3				3	
Acute poliomyelitis (080)	6	.2	5	1			5	
	133	3.4	129	4	67	3	62	1
Acute infectious encephalitis (082)								
Measles (085)	11	.3	9	2	5		4	
Rabies (094)	22	.6	18	4	1	1	17	4
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)	3	.08	3		1		2	
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1	.03	1				1	
	80	2.0	72	8	25	6	47	2
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	6,232	159.0	5,776	456	2,932	384	2,844	72
Diabetes mellitus (260)	141	3.6	124	17	55	13	69	4
Anemias (290-293)	660	16.8	608	52	300	40	308	12
Vascular lesions affecting central nervous system (330-334)	160	4.1	155	5	57	5	98	
Nonmeningococcal meningitis (340)	4,769	121.7	4,303	466	1,767	356	2,536	110
Rheumatic fever (400-402)	72	1.8	60	12	18	12	42	
	80	2.0	73	7	39	5	34	2
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	655	16.7	576	79	253	64	323	15
Other diseases of heart (430-434)	11,450	292.1	10,770	680	5,169	503	5,601	177
Hypertension with heart disease (440-443)	943	24.1	812	131	298	107	514	24
	2063	52.6	1,694	369	814	316	880	53
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	671	17.1	568	103	287	92	281	11
Influenza (480-483)	1,876	47.9	1,753	123	877	90	876	33
Lobar pneumonia 4 weeks (490)	149	3.8	138	11	39	7	99	4
Bronchopneumonia 4 weeks (491)	560	14.3	471	89	186	64	285	25
Pneumonia, other forms 4 weeks (492-493)	573	14.6	505	68	241	48	264	20
	139	3.5	119	20	36	8	83	12
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	78	2.0	72	6	30	3	42	3
Gastro Enteritis and colitis, 2 years (571.1)	118	3.0	96	22	28	4	68	18
Cirrhosis of liver (581)	26	.7	23	3	2	2	21	1
Other diseases of digestive system (530-587 excl. above)	428	10.9	374	54	263	48	111	1
Nephritis and nephrosis (590-594)	1,142	29.1	1,048	94	516	78	532	16
Complications of pregnancy and puerperium (640-652; 670-689)	1,207	30.8	1,066	141	387	96	679	45
	72	1.8	56	16	17	12	39	4
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	433	11.0	399	34	170	26	229	8
Pneumonia of newborn (under 4 weeks) (763)	503	12.8	453	50	218	38	235	12
Diarrhea of newborn (under 4 weeks) (764)	73	1.9	63	10	20	3	43	7
Other infections of newborn (under 4 weeks) (765-769)	31	.8	26	5	9	2	20	3
Other diseases of early infancy (under 4 weeks) (770-776)	11	.3	11				2	
	883	22.5	746	137	328	107	418	30
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	815	20.8	739	76	256	36	483	40
Motor vehicle accidents (810-835)	1,669	42.6	1,468	201	678	157	790	44
All other accidents (800-802; 840-965)	849	21.7	797	52	305	41	492	11
Suicide and self-inflicted injury (970-979)	1,809	46.1	1,642	167	734	120	708	47
Homicide (980-985)	480	12.2	462	18	213	15	249	3
	211	5.4	94	117	44	93	50	24

County Summary

2

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Adair inc. Kirksville		Andrew		Atchison		Audrain	
Total Estimated Population, July 1, 1949	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	19,500		11,700		12,300		23,600	
Attended by M. D.	412	2	192	0	255	0	483	58
Attended by D. O.	160		135		240		286	43
Attended by midwives	251	2	55		15		194	15
Others or unspecified			1				1	
STILLBIRTHS	1		1				2	
Attended by M. D.	3	0	2	0	5	0	13	2
Attended by D. O.	3		2		4		8	1
Attended by midwives					1		5	1
Others or unspecified								
TOTAL DEATHS								
Under one year of age	247	3	122		123	0	244	24
Neonatal deaths	16				9		12	2
Maternal deaths	14				8		8	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	4						1	1
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	4				1		1	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	2						1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	35		20		23		38	2
Diabetes mellitus (260)	2				2			
Anemias (290-293)	5				3		3	1
Vascular lesions affecting central nervous system (330-334)	2							
Nonmeningococcal meningitis (340)	22		15		14		24	2
Rheumatic fever (400-402)	1						1	
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	5		7		2		1	
Other diseases of heart (430-434)	51		41		23		72	6
Hypertension with heart disease (440-443)	5		1		3		3	
Hypertension w/o mention of heart (444-447)	12	2	5		5		18	2
Other diseases of circulatory system (450-468)	2		1				2	
Influenza (480-483)	17		7		5		10	1
Lobar pneumonia 4 weeks (490)	1				1		1	
Bronchopneumonia 4 weeks (491)	1		2		1		2	
Pneumonia, other forms 4 weeks (492-493)	4				3		2	2
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1						
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)							1	
Other diseases of digestive system (530-587 excl. above)	3							
Nephritis and nephrosis (590-594)	7		2		4		3	
Complications of pregnancy and puerperium (640-652; 670-689)	8		4		5		6	1
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3						2	
Pneumonia of newborn (under 4 weeks) (763)	2				3		3	
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)							1	
Other diseases of early infancy (under 4 weeks) (770-776)	1							
Senility, ill defined and unknown causes (780-795)					5		3	1
All other diseases (residual)	7		2		2		5	1
Motor vehicle accidents (810-835)	17		2		7		11	2
All other accidents (800-892; 890-965)	2		3		2		7	
Suicide and self-inflicted injury (970-979)	6		6		8		18	1
Homicide (980-985)	4		2				3	
	1		1					1

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Barry		Barton		Bates		Benton	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	21,700		12,700		17,600		9,200	
LIVE BIRTHS								
Attended by M.D.	425	0	240	0	310	1	151	1
Attended by D.O.	261		223		247	1	51	1
Attended by midwives	164		17		63		99	
Others or unspecified							1	
STILLBIRTHS								
Attended by M.D.	4	0	3	0	3	0	5	0
Attended by D.O.	3		3		3		1	
Attended by midwives	1						4	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	206	0	153	0	200	2	123	1
Neonatal deaths	14		6		13		6	1
Maternal deaths	10		5		8		5	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	6		3		5		2	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1						1	
Acute infectious encephalitis (082)								
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)							1	
Benign and unspecified neoplasms (210-239)	25		25		29		13	
Diabetes mellitus (260)					3		1	
Anemias (290-293)	3		3		2		4	
Vascular lesions affecting central nervous system (330-334)					3		1	
Nonmeningococcal meningitis (340)	25		19		16	1	21	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)			1		1		4	
Other diseases of heart (430-434)	55		53		49	1	18	
Hypertension with heart disease (440-443)	5		7		3		5	
Hypertension w/o mention of heart (444-447)	7		4		5		5	
Other diseases of circulatory system (450-468)	1		3		4			
Influenza (480-483)	6		3		10		3	
Lobar pneumonia 4 weeks (490)	1		1				1	
Bronchopneumonia 4 weeks (491)	1		2		6			
Pneumonia, other forms 4 weeks (492-493)	4		2		2			
Bronchitis (500-502)	1		1		2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)					1			
Cirrhosis of liver (581)			1		1			
Other diseases of digestive system (530-587 excl. above)	2				2			
Nephritis and nephrosis (590-594)	7		1		6		2	
Complications of pregnancy and puerperium (640-652; 670-689)	13		3		14		8	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3		5		4		2	
Pneumonia of newborn (under 4 weeks) (763)					1		2	
Diarrhea of newborn (under 4 weeks) (764)	1							
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	7		2		3		1	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	5		5		1		11	1
Motor vehicle accidents (810-835)	2		5		6		5	
All other accidents (800-802; 840-945)	6				3		3	
Suicide and self-inflicted injury (970-979)	7		4		15		5	
Homicide (980-985)	4				3		3	

County Summary

4

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Bellinger		Boona inc. Columbia		Buchanan inc. St. Joseph		Butler inc. Poplar Bluff	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	11,100		47,200		94,900		37,400	
LIVE BIRTHS								
Attended by M. D.	199	0	944	87	1,707	63	875	73
Attended by D. O.	104		273	79	1,493	62	713	23
Attended by midwives	79		68	7	211	1	116	12
Others or unspecified	2		1		3		29	34
STILLBIRTHS								
Attended by M. D.	2	0	9	2	20	4	17	4
Attended by D. O.	1		8	2	16	4	23	2
Attended by midwives	1		1		4		5	1
Others or unspecified							1	
TOTAL DEATHS								
Under one year of age	112	0	335	54	1,079	59	319	48
Neonatal deaths	6		18	6	61	3	53	3
Maternal deaths	6		15	5	46	3	29	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	3		5	1	15	1	7	2
Syphilis, under 1 year (020-029)							1	1
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)	1		1	1	6		3	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)					1			
Amebic dysentery (046)							1	
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)				1			1	
Diphtheria (055)							1	
Whooping cough (056)							1	
Meningococcal infections (057)							1	
Tularemia (059)						1		
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)					4			
Measles (085)				1				
Rabies (094)					2		2	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		1		1		1	
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	15		37	7	163	6	29	4
Diabetes mellitus (260)			3	1			1	1
Anemias (290-293)	3		3		15		2	
Vascular lesions affecting central nervous system (330-334)			2	1	4		1	
Nonmeningococcal meningitis (340)	18		32	7	144	8	42	9
Rheumatic fever (400-402)					1		1	
Chronic rheumatic heart disease (410-416)			1		1			
Arteriosclerotic and degenerative heart disease (420-422)			5	1	21	5	6	
Other diseases of heart (430-434)	23		78	10	323	13	75	8
Hypertension with heart disease (440-443)	7		13	2	10		4	2
Hypertension w/o mention of heart (444-447)	7		11	3	25	5	16	3
Other diseases of circulatory system (450-468)			3		18		4	1
Influenza (480-483)	3		23	1	43	2	6	1
Lobar pneumonia 4 weeks (490)			1		6		1	
Bronchopneumonia 4 weeks (491)	3		3		14	1	1	
Pneumonia, other forms 4 weeks (492-493)			6		18	2	6	1
Bronchitis (500-502)			1		3	1	2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2		1		5		1	
Gastro Enteritis and colitis, 2 years (571.1)			1	1	1		4	
Cirrhosis of liver (581)	1				1			1
Other diseases of digestive system (530-587 excl. above)	2		2		7	1	1	1
Nephritis and nephrosis (590-594)	1		10	3	33	1	5	2
Complications of pregnancy and puerperium (640-652; 670-689)	6		16	5	29	3	4	2
Congenital malformations (750-759)	1		1				1	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1		20		6	
Pneumonia of newborn (under 4 weeks) (763)	1		8	2	10		5	1
Diarrhea of newborn (under 4 weeks) (764)			1					
Other infections of newborn (under 4 weeks) (765-769)							2	
Other diseases of early infancy (under 4 weeks) (770-776)	3		4	2	20	3	15	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		7		8	1	9	
Motor vehicle accidents (810-835)	1		25	2	43	1	12	2
All other accidents (800-802; 840-965)	2		5	1	17	1	4	1
Suicide and self-inflicted injury (970-979)	2		14		36	3	24	2
Homicide (980-985)			3		10		3	
			1	1				2

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Caldwell		Callaway		Camden		Cape Girardeau inc. Cape Girardeau Ci	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	9,400		23,200		7,900		38,400	
LIVE BIRTHS								
Attended by M.D.	164	0	400	31	159	0	838	23
Attended by D.O.	131		373	29	123		799	17
Attended by midwives	33		25	1	34		38	3
Others or unspecified			2	1			1	3
STILLBIRTHS								
Attended by M.D.	1	0	9	3	2		14	1
Attended by D.O.	1		9	2	1	0	14	1
Attended by midwives				1	1			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	153	0	245	26	85	0	348	27
Neonatal deaths	4		17	2	3		27	2
Maternal deaths	2		10	2	2		20	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			2		3		10	1
Syphilis, under 1 year (020-029)			1				1	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	2						1	1
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)							2	1
Measles (085)								
Rabies (094)			1	1				
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		1					
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	21		31	5	6		39	3
Diabetes mellitus (260)							1	
Anemias (290-293)	1		2	1	1		4	
Vascular lesions affecting central nervous system (330-334)	2		3				3	
Nonmeningococcal meningitis (340)	28		26	3	7		43	6
Rheumatic fever (400-402)	2							
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	3		6		8		5	1
Other diseases of heart (430-434)	35		66	2	21		82	
Hypertension with heart disease (440-443)	3		8				20	
Hypertension w/o mention of heart (444-447)	3		15	5	6		17	1
Other diseases of circulatory system (450-468)			3		2		2	
Influenza (480-483)	9		11		3		9	
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)	2		3	1	1		3	1
Pneumonia, other forms 4 weeks (492-493)	2		3		1		6	
Bronchitis (500-502)			2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)	1		3	1			2	
Cirrhosis of liver (581)			3					
Other diseases of digestive system (530-587 excl. above)			2					1
Nephritis and nephrosis (590-594)	4		2		3		5	
Complications of pregnancy and puerperium (640-652; 670-689)	7		8	1	8		8	3
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1		1		5	
Pneumonia of newborn (under 4 weeks) (763)	1		3	1			2	1
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)			1					
Senility, ill defined and unknown causes (780-795)			5	1			13	
All other diseases (residual)	4		4		1		8	2
Motor vehicle accidents (810-835)	13		7	2	2		10	1
All other accidents (800-802; 840-965)	2		8	1	2		7	
Suicide and self-inflicted injury (970-979)	3		9	1	7		31	4
Homicide (980-985)			4				4	
			1				3	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Carroll		Carter		Cass		Cedar	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	15,200		4,900		19,700		10,700	
LIVE BIRTHS								
Attended by M.D.	278	4	101	0	347	3	188	0
Attended by D.O.	234	3	56		243	2	130	
Attended by midwives	43	1	38		101	1	58	
Others or unspecified			5					
STILLBIRTHS								
Attended by M.D.	1		2		3			
Attended by D.O.	4	1	3	0	5	1	1	0
Attended by midwives	2				2	1	1	
Others or unspecified					3			
TOTAL DEATHS								
Under one year of age	186	3	54	0	251	2	141	0
Neonatal deaths	9	1	2		13	1	5	
Maternal deaths	8	1	2		12	1	4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		1		4		1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1				1			
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)							1	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1				1			
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	30		9		39		16	
Diabetes mellitus (260)	1				1			
Anemias (290-293)	6		1		6		1	
Vascular lesions affecting central nervous system (330-334)								
Nonmeningococcal meningitis (340)	31		6		37		27	
Rheumatic fever (400-402)			1		1			
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	7				8		4	
Other diseases of heart (430-434)	36	1	12		49	1	46	
Hypertension with heart disease (440-443)	3		2		6		4	
Hypertension w/o mention of heart (444-447)	4		2		6		3	
Other diseases of circulatory system (450-468)	1		3		4		1	
Influenza (480-483)	9		2		13		3	
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)	1		1		3		2	
Pneumonia, other forms 4 weeks (492-493)	5		1		2		1	
Bronchitis (500-502)	2							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)							1	
Other diseases of digestive system (530-587 excl. above)	1				2		1	
Nephritis and nephrosis (590-594)	6		1		10		3	
Complications of pregnancy and puerperium (640-652; 670-689)	2	1	2		8		3	
Congenital malformations (750-759)	1				1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2				3		1	
Pneumonia of newborn (under 4 weeks) (763)	1				3		1	
Diarrhea of newborn (under 4 weeks) (764)	1				1		1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	4	1	2		5	1	1	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	7		4		3		1	
Motor vehicle accidents (810-835)	5				14		6	
All other accidents (800-802; 840-965)	4		1		7		3	
Suicide and self-inflicted injury (970-979)	11		3		7		6	
Homicide (980-985)	1				3		2	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Chariton		Christian		Clark		Clay	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	15,100		12,400		9,100		43,100	
LIVE BIRTHS								
Attended by M.D.	237	25	235	0	159	0	987	16
Attended by D.O.	147	13	161		132		902	13
Attended by midwives	90	11	68		27		84	3
Others or unspecified		1	3					
STILLBIRTHS								
Attended by M.D.	5	0	3	0	3	0	22	1
Attended by D.O.	3		2		3		22	1
Attended by midwives	2		1					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	178	12	141	0	108	0	407	13
Neonatal deaths	7		5		7		24	1
Maternal deaths	7		4		5		18	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	3	1	6				3	1
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)			2				1	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1				3	
Measles (085)								
Rabies (094)							1	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)							1	
Benign and unspecified neoplasms (210-239)	26		17		17		49	
Diabetes mellitus (260)			1				1	
Anemias (290-293)	4		1				5	
Vascular lesions affecting central nervous system (330-334)	1				2			
Nonmeningococcal meningitis (340)	32	1	20		18		47	4
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)			2					
Arteriosclerotic and degenerative heart disease (420-422)	3		2		2		9	
Other diseases of heart (430-434)	47	6	40		31		71	2
Hypertension with heart disease (440-443)	2		5		1		8	
Hypertension w/o mention of heart (444-447)	3	1	3		2		21	
Other diseases of circulatory system (450-468)	3		2					
Influenza (480-483)	6		7		3		10	
Lobar pneumonia 4 weeks (490)	1		1				22	
Bronchopneumonia 4 weeks (491)	5		1		4		4	
Pneumonia, other forms 4 weeks (492-493)	1		3		1		6	1
Bronchitis (500-502)					3		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)							1	1
Cirrhosis of liver (581)							1	
Other diseases of digestive system (530-587 excl. above)			1					
Nephritis and nephrosis (590-594)	3	1	1		5		2	
Complications of pregnancy and puerperium (640-652; 670-689)	8		4		2		9	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		1				1	
Pneumonia of newborn (under 4 weeks) (763)	3				2		7	
Diarrhea of newborn (under 4 weeks) (764)							3	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2		3		3		9	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	5		1		1		6	1
Motor vehicle accidents (810-835)	4		3		4		23	1
All other accidents (800-802; 840-865)	6		2		3		15	
Suicide and self-inflicted injury (970-979)	6	1	8		4		30	1
Homicide (980-985)	2		2				4	
							3	

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Clinton		Cole inc. Jefferson City		Cooper		Crawford	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	10,600		35,200		14,600		11,100	
LIVE BIRTHS								
Attended by M. D.	214	9	638	30	291	26	258	0
Attended by D. O.	169	9	581	29	280	25	149	
Attended by midwives	44		57	1	10		101	
Others or unspecified						1	1	
STILLBIRTHS								
Attended by M. D.	2	0	15	1	8	1	5	0
Attended by D. O.	1		14	1	8	1	5	
Attended by midwives	1		1					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	172	4	255	20	181	29	129	6
Neonatal deaths	5		8		6		7	
Maternal deaths	5		7		4		4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		2	2	3		6	
Syphilis, under 1 year (020-029)			1					
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1		1			2		
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)					1			
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	22		34	3	18	2	13	
Diabetes mellitus (260)	1		1		1			
Anemias (290-293)			4	1	1		2	
Vascular lesions affecting central nervous system (330-334)	1		1		1		2	
Nonmeningococcal meningitis (340)	23		25	7	26	4	11	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		2				1	
Arteriosclerotic and degenerative heart disease (420-422)			3		3		1	
Other diseases of heart (430-434)	50	3	69	3	43	9	34	
Hypertension with heart disease (440-443)	3		6		5	1	7	
Hypertension w/o mention of heart (444-447)	6		28	1	7	1	3	
Other diseases of circulatory system (450-468)	1		6		3	1	2	
Influenza (480-483)	10		13	1	9	3	14	
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)	1		1		1	1	1	
Pneumonia, other forms 4 weeks (492-493)	2		1		1		1	
Bronchitis (500-502)			1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)			1					
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	2		3		1	1	1	
Nephritis and nephrosis (590-594)	9		8	1	7		9	
Complications of pregnancy and puerperium (640-652; 670-689)	3	1	2	1	9		1	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		1		1		1	
Pneumonia of newborn (under 4 weeks) (763)	2		5					
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3		2		4		2	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	2		2		4		3	
Motor vehicle accidents (810-835)	4		12		13	1	2	
All other accidents (800-802; 840-965)	4		5		4		2	
Suicide and self-inflicted injury (970-979)	12		12		12		8	
Homicide (980-985)	1		1		2	1		

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Dade		Dallas		Davies		DeKalb	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	9,500		10,400		11,100		8,100	
LIVE BIRTHS								
Attended by M.D.	137	3	168	0	177	0	148	0
Attended by D.O.	124	3	118		94		80	
Attended by midwives	13		49		83		68	
Others or unspecified			1					
STILLBIRTHS								
Attended by M.D.	4	0	6	0	7	0	2	1
Attended by D.O.	4		4		4		1	
Attended by midwives			2		3		1	1
Others or unspecified								
TOTAL DEATHS								
Under one year of age	124	1	116	0	161	1	90	0
Neonatal deaths	5		7		9		1	
Maternal deaths	2		5		4			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		3		3		1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1		3				1	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)							1	
Benign and unspecified neoplasms (210-239)	25		15		22		14	
Diabetes mellitus (260)	2							
Anemias (290-293)	2	1			2		1	
Vascular lesions affecting central nervous system (330-334)	1		1		2		1	
Nonmeningococcal meningitis (340)	13		15		17		14	
Rheumatic fever (400-402)	2						1	
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	1		2		2		3	
Other diseases of heart (430-434)	22		32		40		24	
Hypertension with heart disease (440-443)	7		9		8		6	
Hypertension w/o mention of heart (444-447)							1	
Other diseases of circulatory system (450-468)	1		3		4			
Influenza (480-483)	8		3		4			
Lobar pneumonia 4 weeks (490)	2		2		1	1	1	
Bronchopneumonia 4 weeks (491)	1				6		2	
Pneumonia, other forms 4 weeks (492-493)	1		2		2		1	
Bronchitis (500-502)					2		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1					
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1		1		1			
Nephritis and nephrosis (590-594)	6		2		3			
Complications of pregnancy and puerperium (640-652; 670-689)	4				3		2	
Congenital malformations (750-759)			2					
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1		3			
Pneumonia of newborn (under 4 weeks) (763)	1		1		1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)			3					
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	4		4		4		6	
Motor vehicle accidents (810-835)	6		1		4		3	
All other accidents (800-802; 840-865)	4		2		2		4	
Suicide and self-inflicted injury (970-979)	6		4		14		1	
Homicide (980-985)			2		2		1	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Dart		Douglas		Dunklin		Franklin	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	11,000		12,900		75,000		34,900	
LIVE BIRTHS								
Attended by M.D.	185	0	259	0	1,134	37	818	13
Attended by D.O.	120		123		863	15	791	9
Attended by midwives	25		114		245	4	25	4
Others or unspecified	37		5		22	18	1	
STILLBIRTHS								
Attended by M.D.	3	0	17	0	4		1	
Attended by D.O.	2		1		21	0	15	1
Attended by midwives	1		2		8		13	1
Others or unspecified							2	
TOTAL DEATHS								
Under one year of age	125	0	98	1	383	23	376	6
Neonatal deaths	5		7		41	3	28	1
Maternal deaths	3		5		33	1	20	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	2		4		16	1	1	1
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)					3		2	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amoebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							1	
Diphtheria (055)					1			
Whooping cough (056)					2			
Meningococcal infections (057)					1			
Tularemia (059)					2			
Tetanus (061)	1							
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1		2		2	
Measles (085)								
Rabies (094)	1				2			
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1				2			
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	15		15		42	3	46	
Diabetes mellitus (260)							2	
Anemias (290-293)	3				3		8	
Vascular lesions affecting central nervous system (330-334)							1	
Nonmeningococcal meningitis (340)	15		10		32		34	1
Rheumatic fever (400-402)	2							
Chronic rheumatic heart disease (410-416)					1			
Arteriosclerotic and degenerative heart disease (420-422)	5		3			2	4	
Other diseases of heart (430-434)	34		20	1	74	3	120	1
Hypertension with heart disease (440-443)	4		7		16		14	
Hypertension w/o mention of heart (444-447)	4		3		20	2	13	
Other diseases of circulatory system (450-468)								
Influenza (480-483)	7		5		2		8	
Lobar pneumonia 4 weeks (490)	1				8		20	1
Bronchopneumonia 4 weeks (491)	3		3		2	1	1	
Pneumonia, other forms 4 weeks (492-493)			4		10	3	5	1
Bronchitis (500-502)					7	1	2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)					2			
Cirrhosis of liver (581)					9			
Other diseases of digestive system (530-587 excl. above)			1				1	
Nephritis and nephrosis (590-594)	3		2		7		13	
Complications of pregnancy and puerperium (640-642; 670-689)	5		6		19		5	
Congenital malformations (750-759)					4			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2				9		4	
Pneumonia of newborn (under 4 weeks) (763)	1		1		7		6	
Diarrhea of newborn (under 4 weeks) (764)			1		2		1	
Other infections of newborn (under 4 weeks) (765-769)					2	1		
Other diseases of early infancy (under 4 weeks) (770-776)	2		3		15		12	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)			2		7	1	7	
Motor vehicle accidents (810-835)	4		2		11		13	
All other accidents (800-802; 840-965)	4		3		12		8	
Suicide and self-inflicted injury (970-979)	3		2		15	3	15	1
Homicide (980-985)	2				3		5	
	1				4	2		

County Summary

11

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Gasconade		Gentry		Greene inc. Springfield		Grundy	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	12,300		11,200		107,200		13,100	
LIVE BIRTHS								
Attended by M. D.	250	0	181	0	2,240	44	257	1
Attended by D. O.	219		78		2,112	44	243	1
Attended by midwives	30		103		124		14	
Others or unspecified					1			
STILLBIRTHS								
Attended by M. D.	1	0	8	0	35	1	5	0
Attended by D. O.	1				31	1	5	
Attended by midwives			8		4			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	145	0	162	0	1,069	43	221	3
Neonatal deaths	14		6		60	4	9	
Maternal deaths	12		4		42	4	8	
					2	1	1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			1		16	2	4	
Syphilis, under 1 year (020-029)					3		1	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)					2	1	2	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)							1	
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)					1		1	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					4			
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	12		15		157	2	27	1
Diabetes mellitus (260)					9			
Anemias (290-293)	4		2		13		4	
Vascular lesions affecting central nervous system (330-334)	1		5		7		1	
Nonmeningococcal meningitis (340)	19		28		108	12	21	1
Rheumatic fever (400-402)					1		1	
Chronic rheumatic heart disease (410-416)					3			
Arteriosclerotic and degenerative heart disease (420-422)	2		3		10		4	
Other diseases of heart (430-434)	47		50		288	13	67	
Hypertension with heart disease (440-443)	1		2		32	1	8	
Hypertension w/o mention of heart (444-447)	5		4		63		5	
Other diseases of circulatory system (450-468)	3		2		10	2	2	
Influenza (480-483)	4		8		48		21	1
Lobar pneumonia 4 weeks (490)	2				3		2	
Bronchopneumonia 4 weeks (491)	1		4		12		1	
Pneumonia, other forms 4 weeks (492-493)	1		1		17		1	
Bronchitis (500-502)					2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					3			
Gastro Enteritis and colitis, 2 years (571.1)					1			
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	3				6		1	
Nephritis and nephrosis (590-594)	3		5		28	1	6	
Complications of pregnancy and puerperium (640-652; 670-689)	7		7		30		6	
Congenital malformations (750-759)					2	1	1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	4		1		10			
Pneumonia of newborn (under 4 weeks) (763)	3		2		16	1	1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	6		1		22	3	6	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	2		3		20		1	
Motor vehicle accidents (810-835)	7		5		46	3	8	
All other accidents (840-892; 840-965)	2		5		21		5	
Suicide and self-inflicted injury (970-979)	5		6		44		7	
Homicide (980-985)			1		10		4	
					1	1		

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Harrison		Henry		Hickory		Holt	
Total Estimated Population, July 1, 1949	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	14,200		22,300		5,500		10,000	
Attended by M.D.	224	0	369	4	100	0	180	0
Attended by D.O.	99		216	1	39		130	
Attended by midwives	125		145	3	61		49	
Others or unspecified								
STILLBIRTHS								
Attended by M.D.	6	0	8				1	
Attended by D.O.	3		4	1	0	0	2	0
Attended by midwives	3		4	1			1	
Others or unspecified							1	
TOTAL DEATHS								
Under one year of age	168	0	289	7	64	0	123	0
Neonatal deaths	2		14		2		6	
Maternal deaths	1		12		2		4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	5		3		1		3	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)							2	
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)				1				
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	25		33	1	8		23	
Diabetes mellitus (260)	1							
Anemias (290-293)	2		6		3		1	
Vascular lesions affecting central nervous system (330-334)								
Nonmeningococcal meningitis (340)	21		44	1	10		20	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)			1					
Arteriosclerotic and degenerative heart disease (420-422)	3		4		1		2	
Other diseases of heart (430-434)	48		78	3	17		22	
Hypertension with heart disease (440-443)	2		6		1		7	
Hypertension w/o mention of heart (444-447)	4		10	1	7		2	
Other diseases of circulatory system (450-468)	5		9					
Influenza (480-483)	6		16		1		3	
Lobar pneumonia 4 weeks (490)	2		3				5	
Bronchopneumonia 4 weeks (491)	1		8				2	
Pneumonia, other forms 4 weeks (492-493)			2		2		1	
Bronchitis (500-502)			1		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1					
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)			1		1		2	
Nephritis and nephrosis (590-594)	3		8				3	
Complications of pregnancy and puerperium (640-652; 670-689)	11		11		2		6	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2		1		1	
Pneumonia of newborn (under 4 weeks) (763)			3		1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		7				3	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		4		1		2	
Motor vehicle accidents (810-835)	14		9				3	
All other accidents (800-802; 840-965)	3		5		1		4	
Suicide and self-inflicted injury (970-979)	3		11		4		5	
Homicide (980-985)	5		3					

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Howard		Howell		Iron		Jackson inc. Independence & Kansas City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	11,900		22,600		10,100		523,300	
LIVE BIRTHS								
Attended by M.D.	199	35	512	1	230	3	10,741	1,397
Attended by D.O.	184	32	244		190	1	9,454	1,378
Attended by midwives	15	2	246	1	7		1,284	15
Others or unspecified		1	6		20	1	2	2
STILLBIRTHS								
Attended by M.D.	5	2	12	0	13	1	1	2
Attended by D.O.	5	2	6		4	0	183	38
Attended by midwives			6		4		154	38
Others or unspecified							28	
TOTAL DEATHS								
Under one year of age	132	23	238	2	110	1	5,208	878
Neonatal deaths	3	3	15	1	16		316	44
Maternal deaths	2	2	11	1	13		249	36
			1				6	4
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2	1	6		3		109	41
Tuberculosis, other forms (010-019)			2				9	7
Syphilis, under 1 year (020-029)								1
Syphilis, age 1 year and over (020-029)							22	20
Typhoid fever (040)			1					
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							1	
			1				1	1
Diphtheria (055)								
Whooping cough (056)					2		2	
Meningococcal infections (057)							2	1
Tularemia (059)								
Tetanus (061)							1	1
Acute poliomyelitis (080)			2				15	1
Acute infectious encephalitis (082)			1					
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							7	
Malignant neoplasms (140-205)	24	1	27		14		792	104
Benign and unspecified neoplasms (210-239)							15	4
Diabetes mellitus (260)	7		4		2		70	19
Anemias (290-293)	2		6				10	1
Vascular lesions affecting central nervous system (330-334)	17	2	24		14		536	58
Nonmeningococcal meningitis (340)			1		1		4	3
Rheumatic fever (400-402)			2				7	2
Chronic rheumatic heart disease (410-416)	1	1	6		1		94	29
Arteriosclerotic and degenerative heart disease (420-422)	38	4	67		17		1520	149
Other diseases of heart (430-434)			4	1	2		89	28
Hypertension with heart disease (440-443)	4	2	7		1		202	134
Hypertension w/o mention of heart (444-447)	2		3				43	9
Other diseases of circulatory system (450-468)	4	2	5		4		155	15
Influenza (480-483)					5		10	2
Lobar pneumonia 4 weeks (490)			6		3		65	15
Bronchopneumonia 4 weeks (491)	2		4		5		109	6
Pneumonia, other forms 4 weeks (492-493)	1		1				13	3
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1		1		9	
Gastro Enteritis and colitis, 2 years (571.1)		1					12	1
Cirrhosis of liver (581)					1			
Other diseases of digestive system (530-587 excl. above)			1				82	9
Nephritis and nephrosis (590-594)	5		7		4		166	24
Complications of pregnancy and puerperium (640-652; 670-689)	5	3	12		2		76	23
			1				6	4
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		3		1		61	8
Pneumonia of newborn (under 4 weeks) (763)	1		4	1	2		83	12
Diarrhea of newborn (under 4 weeks) (764)			1		1		12	2
Other infections of newborn (under 4 weeks) (765-769)							5	
Other diseases of early infancy (under 4 weeks) (770-776)		1	5		7		73	18
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	1		5				108	12
Motor vehicle accidents (810-835)	4	3	2		9	1	174	45
All other accidents (800-802; 840-965)	2		5		2		77	5
Suicide and self-inflicted injury (970-979)	7	1	8		3		227	28
Homicide (980-985)	1	1	3		1		67	14
					1		17	27

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Jasper inc. Carthage and Joplin(part)		Jefferson		Johnson		Knox	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	76,900		37,100		22,100		7,700	
LIVE BIRTHS								
Attended by M.D.	1643	17	811	13	334	8	107	1
Attended by D.O.	1339	17	702	11	314	7	55	
Attended by midwives	299		105	2	18	1	52	1
Others or unspecified	3		3					
STILLBIRTHS								
Attended by M.D.	25	0	20	1	10	0	2	0
Attended by D.O.	21		16	1	8		1	
Attended by midwives	4		3		2		1	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	955	16	334	17	219	10	90	2
Neonatal deaths	38		26	1	10	1	1	
Maternal deaths	31		15		7		1	
	1		1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	38		6	4	2		1	
Tuberculosis, other forms (010-019)	3		2					
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	6		3	1	1			
Typhoid fever (040)	2							
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)					1			
Meningococcal infections (057)	1							
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	3		1					
Malignant neoplasms (140-205)	156	1	45	1	29	2	8	
Benign and unspecified neoplasms (210-239)	2	1						
Diabetes mellitus (260)	16		2	1	5		1	
Anemias (290-293)	3		2		1			
Vascular lesions affecting central nervous system (330-334)	108	3	29	2	40	1	10	
Nonmeningococcal meningitis (340)	1		1		1			
Rheumatic fever (400-402)	1		3					
Chronic rheumatic heart disease (410-416)	8		3	2	2		1	
Arteriosclerotic and degenerative heart disease (420-422)	266	4	97	1	66	4	50	2
Other diseases of heart (430-434)	21	1	4		5		6	
Hypertension with heart disease (440-443)	32		17		7		3	
Hypertension w/o mention of heart (444-447)	12		7	1	2		1	
Other diseases of circulatory system (450-468)	31	2	23		11	1	4	
Influenza (480-483)	2							
Lobar pneumonia 4 weeks (490)	16	1	4		2		1	
Bronchopneumonia 4 weeks (491)	8		3				2	
Pneumonia, other forms 4 weeks (492-493)					1			
Bronchitis (500-502)	2							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	3		2					
Gastro Enteritis and colitis, 2 years (571.1)					2			
Cirrhosis of liver (581)	3		6				1	
Other diseases of digestive system (530-587 excl. above)	28		6		2		5	
Nephritis and nephrosis (590-594)	23		6	1	3	1	4	
Complications of pregnancy and puerperium (640-652; 670-689)	1		1					
Congenital malformations (750-759)	6		2		2		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	8		6		2			
Pneumonia of newborn (under 4 weeks) (763)	2							
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	15		9	1	3		1	
Senility, ill defined and unknown causes (780-795)	13		4					
All other diseases (residual)	41	1	8		6	1	4	
Motor vehicle accidents (810-835)	22		9		7		2	
All other accidents (800-802; 840-965)	43	2	14	1	10		1	
Suicide and self-inflicted injury (970-979)	9		8		6		2	
Homicide (980-985)				1			1	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Laclede		Lafayette		Lawrence		Lewis	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	18,900		25,400		23,400		10,700	
LIVE BIRTHS								
Attended by M. D.	367	3	491	16	431	0	193	6
Attended by D. O.	339	3	412	16	385		143	3
Attended by midwives	24		79		43		50	3
Others or unspecified	2							
STILLBIRTHS								
Attended by M. D.	11	0	9	1	10	0	1	1
Attended by D. O.	11		8	1	10		1	
Attended by midwives			1					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	190	3	290	27	247	0	151	1
Neonatal deaths	13	2	15		15		7	8
Maternal deaths	9	1	14		8		5	
	1		1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	7		4		7		3	1
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)			1	1				
Paratyphoid fever (041)					1			
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)	1				1			
Tularemia (059)	1				1			
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)			1				1	
Benign and unspecified neoplasms (210-239)	26		41	4	35		24	1
Diabetes mellitus (260)	1				1			
Anemias (290-293)	1		4		8		3	
Vascular lesions affecting central nervous system (330-334)			2		2		1	
Nonmeningococcal meningitis (340)	21		38	3	25		15	1
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	2		5	1	1		2	1
Other diseases of heart (430-434)	41		87	8	68		41	1
Hypertension with heart disease (440-443)	7		5		9		4	
	9		13	3	5		8	2
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	4		1		3		2	
Influenza (480-483)	4		13	2	12		8	
Lobar pneumonia 4 weeks (490)			1		3		1	
Bronchopneumonia 4 weeks (491)	6	1	1		3		1	
Pneumonia, other forms 4 weeks (492-493)	3		1	1	1		1	
	1				1		1	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1	1	1		1			
Gastro Enteritis and colitis, 2 years (571.1)	1				1			
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	2			1	4			
Nephritis and nephrosis (590-594)	4		6		5		2	
Complications of pregnancy and puerperium (640-652; 670-689)	7		7	2	8		2	
	1		1					
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		4				1	
Pneumonia of newborn (under 4 weeks) (763)	1		3		1		1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	4	1	6		5		1	
Senility, ill defined and unknown causes (780-795)							2	
All other diseases (residual)	4		2		4		3	
Motor vehicle accidents (810-835)	9		14		10		9	1
All other accidents (800-802; 840-965)	5		7		5		3	
Suicide and self-inflicted injury (970-979)	12		15	1	16		7	
Homicide (980-985)	1		4				3	
							1	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Lincoln		Linn		Livingston		McDonald	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	12,900		18,900		16,600		14,200	
LIVE BIRTHS								
Attended by M.D.	244	9	342	3	326	2	243	0
Attended by D.O.	208	5	206	3	284	2	125	
Attended by midwives	36	4	126		51		111	
Others or unspecified							6	
STILLBIRTHS								
Attended by M.D.	4	2	4	0	1		1	
Attended by D.O.	3	2	3	0	0	0	4	0
Attended by midwives	1		1				1	
Others or unspecified							3	
TOTAL DEATHS								
Under one year of age	145	8	260	1	203	2	152	0
Neonatal deaths	3		15		11		6	
Maternal deaths	1		10		7		5	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amoebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-106)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)					3			
Benign and unspecified neoplasms (210-239)	17	1	22		25		19	
Diabetes mellitus (260)	2		1					
Anemias (290-293)	1		6		4		1	
Vascular lesions affecting central nervous system (330-334)	1		2		1		1	
Nonmeningococcal meningitis (340)	19	3	20		33		28	
Rheumatic fever (400-402)	1		1					
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)								
Other diseases of heart (430-434)	52	1	91		3			
Hypertension with heart disease (440-443)	7		5		59	2	42	
Hypertension w/o mention of heart (444-447)	1		7	1	10		4	
Other diseases of circulatory system (450-466)	4	1	3		2		2	
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)			20		12		8	
Bronchopneumonia 4 weeks (491)					2		1	
Pneumonia, other forms 4 weeks (492-493)	1		1		2		3	
Bronchitis (500-502)					3		5	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)					1			
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)								
Nephritis and nephrosis (590-594)	1		2		1		2	
Complications of pregnancy and puerperium (640-652; 670-689)	2	1	11		5		7	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks) (760-762)								
Pneumonia of newborn (under 4 weeks) (763)	1		3		3		2	
Diarrhea of newborn (under 4 weeks) (764)			5		1		1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)								
Senility, ill defined and unknown causes (780-795)			5		4		2	
All other diseases (residual)	2		8		3		2	
Motor vehicle accidents (810-835)	8	1	9		5		1	
All other accidents (800-802; 840-845)	2		4		3		2	
Suicide and self-inflicted injury (970-979)	5		10		8		6	
Homicide (980-985)	4		3		2		4	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Macon		Madison		Merica		Marion inc. Hannibal	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	18,400		10,300		6,800		29,900	
LIVE BIRTHS								
Attended by M.D.	266	5	232	1	156	0	607	33
Attended by D.O.	142		166		58		576	32
Attended by midwives	124	5	61	1	98		31	1
Others or unspecified								
STILLBIRTHS								
Attended by M.D.	4	2	4					
Attended by D.O.	3		8	0	3	0	17	1
Attended by midwives	1	2	5		2		13	1
Others or unspecified			3		1		3	
TOTAL DEATHS								
Under one year of age	259	4	95	1	57	0	396	31
Neonatal deaths	8		6		2		18	2
Maternal deaths	4		2				14	
	1				1			1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	2		1		1		4	
Syphilis, age 1 year and over (020-029)							1	
Typhoid fever (040)	1						2	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)			1					
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)					1			
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1							
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	30		10		8		53	
Diabetes mellitus (260)	3							
Anemias (290-293)	4		1		1		7	1
Vascular lesions affecting central nervous system (330-334)	3		1		1		3	
Nonmeningococcal meningitis (340)	34		10		6		40	6
Rheumatic fever (400-402)	1		1				1	1
Chronic rheumatic heart disease (410-416)			1				1	
Arteriosclerotic and degenerative heart disease (420-422)			2					
Other diseases of heart (430-434)	71		29		8		7	3
Hypertension with heart disease (440-443)	1		1				119	10
Hypertension w/o mention of heart (444-447)	11				3		11	
Other diseases of circulatory system (450-468)	1		1				14	
Influenza (480-483)	16		6		4		4	
Lobar pneumonia 4 weeks (490)	1		1		2		29	1
Bronchopneumonia 4 weeks (491)	3		6		1		1	
Pneumonia, other forms 4 weeks (492-493)	6		1				3	
Bronchitis (500-502)					1		4	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1					
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1				1		1	
Nephritis and nephrosis (590-594)	7		3		2		2	
Complications of pregnancy and puerperium (640-652; 670-689)	6	1	2	1	5		14	2
Congenital malformations (750-759)	1				1			1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		1				4	
Pneumonia of newborn (under 4 weeks) (763)	2		1				4	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)								
Senility, ill defined and unknown causes (780-795)	2		1				6	
All other diseases (residual)	11		2					
Motor vehicle accidents (810-835)	17		2		2		16	5
All other accidents (800-802; 840-945)	7		4		3		11	
Suicide and self-inflicted injury (970-979)	9	2	3		1		11	1
Homicide (980-985)	4		2		2		15	2
	1				2		6	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Mercer		Miller		Mississippi		Monterey	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	7,300		13,800		22,400		10,900	
LIVE BIRTHS								
Attended by M.D.	104	0	294	1	552	213	194	6
Attended by D.O.	58		99		360	12	144	3
Attended by midwives	46		195	1	182	61	50	3
Others or unspecified					7	136		
STILLBIRTHS								
Attended by M.D.	3	0	4	0	6	4	3	0
Attended by D.O.	1		1		3	1	1	
Attended by midwives	2		3		3	2	2	
Others or unspecified						1		
TOTAL DEATHS								
Under one year of age	78	1	121	0	165	92	146	4
Neonatal deaths	1		9		15	14	8	1
Maternal deaths	1		5		9	9	6	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			1		8	5	1	
Syphilis, under 1 year (020-029)						1	1	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)						1		
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)					2			
Meningococcal infections (057)			1					
Tularemia (059)					1			
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)							1	
Measles (085)						1		
Rabies (094)					1	1		
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)					1			
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	14	1	15		20	3	21	
Diabetes mellitus (260)	1				1	1		
Anemias (290-293)	1		4		1	1	1	
Vascular lesions affecting central nervous system (330-334)					1			
Nonmeningococcal meningitis (340)	10		22		21	9	15	2
Rheumatic fever (400-402)					2		1	
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	1		1		1			
Other diseases of heart (430-434)	20		28		42	14	5	
Hypertension with heart disease (440-443)	5		1		1	2	44	
Hypertension w/o mention of heart (444-447)	8		6		3	4	4	
Other diseases of circulatory system (450-468)			2		2	2		
Influenza (480-483)	2		4		4	3	19	
Lobar pneumonia 4 weeks (490)					1			
Bronchopneumonia 4 weeks (491)	1		3		2	5	2	
Pneumonia, other forms 4 weeks (492-493)			3		2	2	1	
Bronchitis (500-502)					1	2	1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)						1		
Gastro Enteritis and colitis, 2 years (571.1)			1		3	1		
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)			1		1		1	
Nephritis and nephrosis (590-594)	1		2		6	2	3	
Complications of pregnancy and puerperium (640-652; 670-689)	3		3		2	6	3	
Congenital malformations (750-759)					2	2		
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			1		1	1	2	
Pneumonia of newborn (under 4 weeks) (763)					3		1	
Diarrhea of newborn (under 4 weeks) (764)					1	4		
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		6		5	2	3	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	1		2		8	5	2	
Motor vehicle accidents (810-835)	3		4		4	4	4	
All other accidents (800-802; 840-945)	1		1		5	1	1	
Suicide and self-inflicted injury (970-979)	3		4		3	4	1	
Homicide (980-985)	1		4		3		1	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Monroe		Montgomery		Morgan		New Madrid	
Total Estimated Population, July 1, 1949	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	11,500		11,600		10,200		39,300	
Attended by M. D.	155	12	187	8	182	3	980	252
Attended by D. O.	129	10	109	1	115	1	821	65
Attended by midwives	25	2	78	6	64	2	128	19
Others or unspecified				1	3		20	163
STILLBIRTHS								
Attended by M. D.	8	1	5	1	2		11	5
Attended by D. O.	8	1	3	1	1		26	5
Attended by midwives			2				25	4
Others or unspecified							1	
TOTAL DEATHS								
Under one year of age	146	8	154	7	122	6	250	1
Neonatal deaths	5		4	2	5		45	31
Maternal deaths	4		3		3		16	18
	1						3	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		2		2		12	4
Syphilis, under 1 year (020-029)					1			
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)			1		1		1	1
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							2	2
Diphtheria (055)							1	
Whooping cough (056)							3	
Meningococcal infections (057)							2	5
Tularemia (059)							1	
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1						3	
Measles (085)								
Rabies (094)				1			2	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)			1	1			1	
Benign and unspecified neoplasms (210-239)	23	2	19	1	10		24	6
Diabetes mellitus (260)			1				3	1
Anemias (290-293)	2		2		1		3	3
Vascular lesions affecting central nervous system (330-334)	2							
Nonmeningococcal meningitis (340)	17	2	14	1	22	2	22	4
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	1		1		1		3	1
Other diseases of heart (430-434)	42	2	52		33		35	11
Hypertension with heart disease (440-443)	2		2		3		9	4
	8		10	1	4	1	9	1
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	3		5				4	
Influenza (480-483)	7		6		13	2	7	5
Lobar pneumonia 4 weeks (490)	4						2	
Bronchopneumonia 4 weeks (491)					1		4	
Pneumonia, other forms 4 weeks (492-493)			4		2		9	4
Bronchitis (500-502)	1						4	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1						2	
Gastro Enteritis and colitis, 2 years (571.1)							7	6
Cirrhosis of liver (581)	1							
Other diseases of digestive system (530-587 excl. above)	1		1		1		1	
Nephritis and nephrosis (590-594)	3		1		1		7	
Complications of pregnancy and puerperium (640-652; 670-689)	5		7	1	3		6	2
	1						3	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2	1	2				5	2
Pneumonia of newborn (under 4 weeks) (763)					1		4	4
Diarrhea of newborn (under 4 weeks) (764)							3	2
Other infections of newborn (under 4 weeks) (765-769)					1		1	
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		1		5	7
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	2		2		3		4	4
Motor vehicle accidents (810-835)	3		5	1	6		12	4
All other accidents (800-802, 840-945)	2		6		3		10	3
Suicide and self-inflicted injury (970-979)	6	1	5		8		11	5
Homicide (980-985)	3		2				2	
			2					4

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Newton inc. part of Joplin		Nodaway		Oregon		Osage	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	28,500		24,000		12,000		12,500	
LIVE BIRTHS								
Attended by M. D.	561	7	513	0	217	0	217	1
Attended by D. O.	403	5	422		155		151	1
Attended by midwives	153	2	90		55		64	
Others or unspecified	5		1		4		1	
STILLBIRTHS								
Attended by M. D.	7	0	4	0	3	0	3	0
Attended by D. O.	1		3		2		3	
Attended by midwives	6		1		1			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	303	5	259	0	113	0	108	2
Neonatal deaths	18	2	13		6		3	
Maternal deaths	9	2	8		5		3	
	14	1						
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	13		1		9		3	
Syphilis, under 1 year (020-029)					1			
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1		2		1		1	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amoebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)					1			
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1		1		2	
Measles (085)			1					
Rabies (094)			1				1	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-106)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1			
Malignant neoplasms (140-205)	38		39		18		10	1
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)			1		1			
Anemias (290-293)	3		2		2		2	
Vascular lesions affecting central nervous system (330-334)	1		1					
Nonmeningococcal meningitis (340)	36		30		9		13	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		1					
Arteriosclerotic and degenerative heart disease (420-422)	10	1	2		1			
Other diseases of heart (430-434)	80		74		23		28	
Hypertension with heart disease (440-443)	11		6		2		3	
Hypertension w/o mention of heart (444-447)	17		16		7		9	
Other diseases of circulatory system (450-468)	2		2		2		3	
Influenza (480-483)	8		7		2		5	
Lobar pneumonia 4 weeks (490)	2		1		2			
Bronchopneumonia 4 weeks (491)	6		3		1		1	
Pneumonia, other forms 4 weeks (492-493)	4		1				1	
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)	3							
Cirrhosis of liver (581)	1				1			
Other diseases of digestive system (530-587 excl. above)			3				2	
Nephritis and nephrosis (590-594)			5		2		2	
Complications of pregnancy and puerperium (640-652; 670-689)	12		12		3		1	
	14	1						
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2					
Pneumonia of newborn (under 4 weeks) (763)	6		3					
Diarrhea of newborn (under 4 weeks) (764)	2				1			
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)	1	2	5		3		3	
Scalds, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		4		6		4	
Motor vehicle accidents (810-835)	9		11		4		3	
All other accidents (840-882; 890-945)	2		6		2		2	
Suicide and self-inflicted injury (770-776)	14	1	11		4		6	
Homicide (900-985)	3		3				2	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Ozark		Pemisicott		Perry		Pettis inc. Sedalia	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	9000		45,500		14,900		33,600	
LIVE BIRTHS								
Attended by M. D.	176	0	931	315	361	1	548	43
Attended by D. O.	50		716	123	352	1	468	41
Attended by midwives	126		156	17	9		80	1
Others or unspecified	4		42	157				
STILLBIRTHS								
Attended by M. D.	14		17	18				
Attended by D. O.	1	0	18	5	3	0	11	1
Attended by midwives			14	3	1		9	1
Others or unspecified	1		3		2		2	
TOTAL DEATHS								
Under one year of age	66	0	305	129	124	0	399	43
Neonatal deaths	4		72	24	12		24	2
Maternal deaths	4		31	11	10		18	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	2		8	4	1		6	2
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)			1	3			1	2
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			2	2				
Tularemia (059)			1	1				
Tetanus (061)								
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)			4	1				
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	2		1		1		1	
Malignant neoplasms (140-205)	8		28	8	10		54	2
Benign and unspecified neoplasms (210-239)	1		2				1	
Diabetes mellitus (260)			4	1	3		1	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	4		19	13	17		45	8
Nonmeningococcal meningitis (340)	1		3					
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	15		53	15	35		131	15
Other diseases of heart (430-434)	5		11	7	3		5	1
Hypertension with heart disease (440-443)	1		8	3	7		10	
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)			2	3	1		2	
Influenza (480-483)	1		4	1	3		10	2
Lobar pneumonia 4 weeks (490)			2	2			12	
Bronchopneumonia 4 weeks (491)			6	4			3	1
Pneumonia, other forms 4 weeks (492-493)	1		4	3	2		5	
Bronchitis (500-502)	1		8	3			2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)			1				1	
Cirrhosis of liver (581)			12	5				
Other diseases of digestive system (530-587 excl. above)			2					
Nephritis and nephrosis (590-594)	5		9	1	1		13	1
Complications of pregnancy and puerperium (640-652; 670-689)	3		5	4	5		12	
Congenital malformations (750-759)			2	1	1		1	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			5	1	2		1	
Pneumonia of newborn (under 4 weeks) (763)	1		6	1	4		10	1
Diarrhea of newborn (under 4 weeks) (764)	1		6	1				
Other infections of newborn (under 4 weeks) (765-769)			6	2				
Other diseases of early infancy (under 4 weeks) (770-776)	1		11	5	4		7	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)			21	13	3		8	
Motor vehicle accidents (810-835)	4		12	5	2		14	
All other accidents (800-802; 840-965)	1		13		5		4	
Suicide and self-inflicted injury (970-979)	2		12	3	7		14	2
Homicide (980-985)	4		4				4	
			4	6			1	1

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Phelps		Pike		Platte		Polk	
Total Estimated Population, July 1, 1949	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	21,100		16,900		14,100		16,100	
Attended by M.D.	506	0	329	29	259	9	325	1
Attended by D.O.	383		228	17	242	9	227	1
Attended by midwives	112		93	11	17		98	
Others or unspecified	9		7					
STILLBIRTHS	2		1	1				
Attended by M.D.	7	0	8	0	3	0	7	0
Attended by D.O.	4		6		2		5	
Attended by midwives	3		2		1		2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	208	2	221	33	136	6	199	0
Neonatal deaths	14		12	2	9		5	
Maternal deaths	11		11	1	5		2	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	3		4	2	2		1	
Syphilis, under 1 year (020-029)				1			3	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1		1	1	1			
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1							
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)							1	
Benign and unspecified neoplasms (210-239)	37		33	2	12		19	
Diabetes mellitus (260)	1		1				1	
Anemias (290-293)			4	1	2		2	
Vascular lesions affecting central nervous system (330-334)	1		1					
Nonmeningococcal meningitis (340)	27	1	22	3	17	1	27	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)					1		1	
Arteriosclerotic and degenerative heart disease (420-422)	5		2	2	1			
Other diseases of heart (430-434)	46		53	5	43	2	69	
Hypertension with heart disease (440-443)	4		9	1	5	2	4	
Hypertension w/o mention of heart (444-447)	7		17	2	3		13	
Other diseases of circulatory system (450-468)	4		1	1	2		3	
Influenza (480-483)	1		8	3	3		11	
Lobar pneumonia 4 weeks (490)			2				1	
Bronchopneumonia 4 weeks (491)	1		2		7		3	
Pneumonia, other forms 4 weeks (492-493)	2		4		1		2	
Bronchitis (500-502)	1				1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2							
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	3		1					
Nephritis and nephrosis (590-594)	12		8	1	5		8	
Complications of pregnancy and puerperium (640-652; 670-689)	8		6		4		3	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		4	1	1		2	
Pneumonia of newborn (under 4 weeks) (763)	5		4					
Diarrhea of newborn (under 4 weeks) (764)			1		1		1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	6		2		4		1	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	2		5	2	2		3	
Motor vehicle accidents (810-835)	10		11	1	9		5	
All other accidents (800-802; 840-965)	7		4		1		4	
Suicide and self-inflicted injury (970-979)	6	1	10	4	5	1	9	
Homicide (980-985)	2		1		3		1	

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Pulaski		Putnam		Ralls		Randolph inc. Moberly	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	10,200		8,800		8,800		23,000	
LIVE BIRTHS								
Attended by M.D.	234	1	158	0	143	6	377	25
Attended by D.O.	84	1	37		126	4	259	12
Attended by midwives	150		121		17	2	118	12
Others or unspecified								1
STILLBIRTHS								
Attended by M.D.	5	0	2	0	1	0	4	2
Attended by D.O.	1				1		2	2
Attended by midwives	4		2				2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	112	0	124	0	111	1	270	26
Neonatal deaths	5		4		4		9	1
Maternal deaths	2		3		1		4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		2		2		1	2
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1							
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)					1			
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1						2	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)					1			
Benign and unspecified neoplasms (210-239)	12		17		17		36	2
Diabetes mellitus (260)							4	
Anemias (290-293)	2		2		1			
Vascular lesions affecting central nervous system (330-334)	1		2				2	
Nonmeningococcal meningitis (340)	16		12		17		32	1
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	2		1		3		3	
Other diseases of heart (430-434)	24		41		26	1	87	8
Hypertension with heart disease (440-443)	9		2		6		12	1
Hypertension w/o mention of heart (444-447)					3		10	1
Other diseases of circulatory system (450-468)			3		1		7	
Influenza (480-483)	7		6		4		15	1
Lobar pneumonia 4 weeks (490)								2
Bronchopneumonia 4 weeks (491)					1		2	
Pneumonia, other forms 4 weeks (492-493)	5						5	
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)							1	
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)					1			
Nephritis and nephrosis (590-594)	3		4		5		4	2
Complications of pregnancy and puerperium (640-652; 670-689)			10		4		8	2
Congenital malformations (750-759)					1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				1			
Pneumonia of newborn (under 4 weeks) (763)			1					
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		1		4	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	4		3		6		9	
Motor vehicle accidents (810-835)	9		3		2		7	2
All other accidents (800-802; 840-865)	3		3				4	
Suicide and self-inflicted injury (970-979)	7		8		4		7	2
Homicide (980-985)			1		1		7	

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Hay		Reynolds		Hipley		St. Charles and St. Charles City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	16,100		7,100		11,500		29,500	
LIVE BIRTHS								
Attended by M. D.	243	12	147	0	248	0	674	12
Attended by D. O.	214	9	92		229		646	11
Attended by midwives	29	3	30		2		28	1
Others or unspecified			9		5			
STILLBIRTHS								
Attended by M. D.	7	0	3	0	12	0	11	2
Attended by D. O.	7		2		7		11	2
Attended by midwives			1					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	198	6	60	0	109	0	288	16
Neonatal deaths	11	2	2		7		12	2
Maternal deaths	6				6		11	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1		2		4			
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1	1			1			
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1				2	
Measles (085)							1	
Rabies (094)					1			
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	39	1	10		17		40	1
Diabetes mellitus (260)							4	1
Anemias (290-293)	6		4		1		2	
Vascular lesions affecting central nervous system (330-334)			1				1	
Nonmeningococcal meningitis (340)	35		7		13		32	1
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)							1	
Arteriosclerotic and degenerative heart disease (420-422)	49	1	13		25		85	4
Other diseases of heart (430-434)	4	1			2		2	
Hypertension with heart disease (440-443)	5		1		3		19	
Hypertension w/o mention of heart (444-447)	9		1					
Other diseases of circulatory system (450-468)	5		3		2		6	1
Influenza (480-483)	2				3		31	
Lobar pneumonia 4 weeks (490)	2							
Bronchopneumonia 4 weeks (491)	2		1		9		1	
Pneumonia, other forms 4 weeks (492-493)	1	1	2				3	
Bronchitis (500-502)	1				1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)	1		1					
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1							
Nephritis and nephrosis (590-594)	2		1		3		5	
Complications of pregnancy and puerperium (640-652; 670-689)	4		2		1		7	
Congenital malformations (750-759)							1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2	1			2		6	
Pneumonia of newborn (under 4 weeks) (763)					1		1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3				2		5	2
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		2		5		2	
Motor vehicle accidents (810-835)	10		1		6		8	
All other accidents (800-802; 840-965)	4		5		1		1	
Suicide and self-inflicted injury (970-979)	4				4		12	
Homicide (980-985)	2		1					

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Clayton
KirkwoodMaplewood
Richmond HeightsUniversity City
Webster Groves

21

	St. Clair		St. Francois		St. Genevieve		St. Louis inc. cities noted	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	12,500		35,300		11,200		394,600	
LIVE BIRTHS								
Attended by M. D.	151	1	815	3	298	3	8,305	420
Attended by D.O.	68		664	1	281	3	8,129	420
Attended by midwives	83	1	120	2	15		144	
Others or unspecified			29		2		23	
STILLBIRTHS								
Attended by M. D.			2				9	
Attended by D.O.	2	0	14	0	3	0	126	12
Attended by midwives	2		13		2		121	12
Others or unspecified			1		1		5	
TOTAL DEATHS								
Under one year of age	100	0	385	2	93	5	2,887	177
Neonatal deaths	2		36	1	10	1	162	11
Maternal deaths	2		27		7	1	127	7
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	1		5		1	1	40	6
Syphilis, age 1 year and over (020-029)	1						1	
Typhoid fever (040)			5					
Paratyphoid fever (041)							11	3
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)							1	
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)			1				1	
Diphtheria (055)							1	
Whooping cough (056)								
Meningococcal infections (057)							2	
Tularemia (059)			1					1
Tetanus (061)							4	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			4				1	
Measles (085)							18	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)			2				5	1
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	16		62		13		513	20
Anemias (290-293)			1		1		8	2
Vascular lesions affecting central nervous system (330-334)			3		1		44	3
Nonmeningococcal meningitis (340)			1				9	
Rheumatic fever (400-402)	15		32		5		266	17
Chronic rheumatic heart disease (410-416)					1		5	
Arteriosclerotic and degenerative heart disease (420-422)			9				8	2
Other diseases of heart (430-434)	33		105	1	36	1	37	2
Hypertension with heart disease (440-443)	3		7		2		791	33
Hypertension w/o mention of heart (444-447)			26		3		33	
Other diseases of circulatory system (450-468)	2		5				168	21
Influenza (480-483)	2		12		7	1	55	3
Lobar pneumonia 4 weeks (490)	1		1				108	4
Bronchopneumonia 4 weeks (491)	1		5		1		3	
Pneumonia, other forms 4 weeks (492-493)			8	1			17	3
Bronchitis (500-502)			2		3		28	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							5	3
Gastro Enteritis and colitis, 2 years (571.1)			2				7	
Cirrhosis of liver (581)							3	
Other diseases of digestive system (530-587 excl. above)	1		2		1		2	
Nephritis and nephrosis (590-594)	2		11		2		31	2
Complications of pregnancy and puerperium (640-652; 670-689)	6		9		2		71	1
Congenital malformations (750-759)			1				65	6
Birth injuries, asphyxia, (under 4 weeks.) (760-762)							1	1
Pneumonia of newborn (under 4 weeks) (763)	1		4					
Dysrhea of newborn (under 4 weeks) (764)			10		3	1	36	1
Other infections of newborn (under 4 weeks) (765-769)			2				43	3
Other diseases of early infancy (under 4 weeks) (770-776)					1		1	1
Senility, ill defined and unknown causes (780-795)			12		2		62	2
All other diseases (residual)	3		5					
Motor vehicle accidents (810-835)	2		11		1	1	87	9
All other accidents (800-802; 840-965)	2		4		3		100	11
Suicide and self-inflicted injury (970-979)	5		10		2		65	5
Homicide (980-985)	2		2		2		36	1
			2				8	3

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Saline		Schuyler		Scotland		Sextt	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949	26,800		5,800		7,400		32,500	
LIVE BIRTHS								
Attended by M. D.	462	28	106	0	116	0	798	93
Attended by D. O.	413	27	34		64		695	21
Attended by midwives	49	1	72		52		95	2
Others or unspecified							7	68
STILLBIRTHS								
Attended by M. D.	7	2	1	0	1	0	1	2
Attended by D. O.	6	2					12	1
Attended by midwives	1		1				10	1
Others or unspecified							2	
TOTAL DEATHS								
Under one year of age	297	40	76	0	131	0	254	36
Neonatal deaths	18	5	2		5		24	3
Maternal deaths	14	2			2		20	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	6		1		3		12	2
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)		1					3	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)		1						
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	48	3	10		20		31	2
Diabetes mellitus (260)	1	1			1			
Anemias (290-293)	8	1					3	
Vascular lesions affecting central nervous system (330-334)	1		2					
Nonmeningococcal meningitis (340)	30	8	13		15		18	4
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	1				1			
Arteriosclerotic and degenerative heart disease (420-422)	3				4		5	
Other diseases of heart (430-434)	77	9	21		43		74	9
Hypertension with heart disease (440-443)	9		4		2		5	1
Hypertension w/o mention of heart (444-447)	8	2	4		3		12	2
Other diseases of circulatory system (450-468)	7		1		1		3	
Influenza (480-483)	18		1		4		5	
Lobar pneumonia 4 weeks (490)	1				1			
Bronchopneumonia 4 weeks (491)	3	1	1		1		4	1
Pneumonia, other forms 4 weeks (492-493)	2	1	3		3		4	1
Bronchitis (500-502)		1	1		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1						2	
Other diseases of digestive system (530-587 excl. above)			1					
Nephritis and nephrosis (590-594)	9	1	2		1		5	1
Complications of pregnancy and puerperium (640-652; 670-689)	14	4	2		1		4	1
Congenital malformations (750-759)							2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3							
Pneumonia of newborn (under 4 weeks) (763)	3						2	
Diarrhea of newborn (under 4 weeks) (764)	1						6	1
Other infections of newborn (under 4 weeks) (765-769)	1						2	
Other diseases of early infancy (under 4 weeks) (770-776)	7	2			3		8	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	4	1	3		1		5	
Motor vehicle accidents (810-835)	9	1	4		7		11	4
All other accidents (800-802, 840-965)	6				5		6	1
Suicide and self-inflicted injury (970-979)	8	2	1		1		12	4
Homicide (980-985)			1				4	1

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Total Estimated Population, July 1, 1949	Shannon		Shelby		Stoddard		Stone	
	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	8,600		9,600		33,300		9,900	
Attended by M.D.	154	0	193	8	815	61	194	0
Attended by D.O.	86		142	6	411	21	175	
Attended by midwives	49		51	2	395	18	6	
Others or unspecified	9				6	16	6	
STILLBIRTHS	10				3	6	7	
Attended by M.D.	0	0	4	0	19	1	6	0
Attended by D.O.			3		9	1	5	
Attended by midwives			1		10			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	63	0	140	4	317	18	1	
Neonatal deaths	3		2		36	6	84	0
Maternal deaths			1		21	1	4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	2		2		7	1	2	
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)								
Paratyphoid fever (041)			1				1	
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)					1			
Other and unspecified dysentery (047-048)					2			
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)						1		
Tularemia (059)						2		
Tetanus (061)								
Acute poliomyelitis (080)					1			
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1		2		1	
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	7		19		39		11	
Diabetes mellitus (260)			1		2			
Anemias (290-293)	4		3		3			
Vascular lesions affecting central nervous system (330-334)					1			
Nonmeningococcal meningitis (340)	4		23	1	49	1	12	
Rheumatic fever (400-402)	1				3			
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	2		1		2		3	
Other diseases of heart (430-434)	15		32	2	59		16	
Hypertension with heart disease (440-443)	5				14		4	
Hypertension w/o mention of heart (444-447)	2		12		11	1	1	
Other diseases of circulatory system (450-468)			1					
Influenza (480-483)	3		9	1	3		2	
Lobar pneumonia 4 weeks (490)	3				8		1	
Bronchopneumonia 4 weeks (491)	2		3					
Pneumonia, other forms 4 weeks (492-493)	2		2		8	3	3	
Bronchitis (500-502)					6	2	2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1			
Gastro Enteritis and colitis, 2 years (571.1)					2	3		
Cirrhosis of liver (581)			1		1			
Other diseases of digestive system (530-587 excl. above)					4		3	
Nephritis and nephrosis (590-594)	1		3		7			
Complications of pregnancy and puerperium (640-652; 670-689)			4					
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1				4		2	
Pneumonia of newborn (under 4 weeks) (763)			1		6			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)					7		2	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		2		21	1	5	
Motor vehicle accidents (810-835)			2		8		5	
All other accidents (800-802; 840-965)			2		11		3	
Suicide and self-inflicted injury (970-979)	3		5		16	2	5	
Homicide (980-985)	1		2		6			

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Total Estimated Population, July 1, 1949	Sullivan		Taney		Texas		Verde	
	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	11,200		9,900		19,100		24,900	
Attended by M. D.	187	0	168	0	401	0	345	0
Attended by D. O.	68		116		294		331	
Attended by midwives	119		45		93		12	
Others or unspecified			4		3			
STILLBIRTHS								
Attended by M. D.	2	0	3	0	11	0	2	0
Attended by D. O.	1		1		4		8	
Attended by midwives	1		1		3		6	
Others or unspecified					1		2	
TOTAL DEATHS								
Under one year of age	167	0	97	0	230	0	271	0
Neonatal deaths	10		3		13		11	
Maternal deaths	8		2		10		8	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	2		3		6		2	
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)					1			
Paratyphoid fever (041)					1			
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)							1	
Tularemia (059)								
Tetanus (061)					2			
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1				1	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)					1			
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	25		15		35		31	
Diabetes mellitus (260)			1				1	
Anemias (290-293)	1		1		3		3	
Vascular lesions affecting central nervous system (330-334)	1				1		1	
Nonmeningococcal meningitis (340)	21		14		24		50	
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	2				4		7	
Other diseases of heart (430-434)	44		29		61		85	
Hypertension with heart disease (440-443)	6		1		4		5	
Hypertension w/o mention of heart (444-447)	3				14		17	
Other diseases of circulatory system (450-468)	1				3		4	
Influenza (480-483)	10		9		8		9	
Lobar pneumonia 4 weeks (490)	1		1		2		3	
Bronchopneumonia 4 weeks (491)	2				3		3	
Pneumonia, other forms 4 weeks (492-493)	1		1		4		1	
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)					1		1	
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1							
Nephritis and nephrosis (590-594)	2		5		1		2	
Complications of pregnancy and puerperium (640-652; 670-689)	9		2		9		11	
Congenital malformations (750-759)					1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		2		2		2	
Pneumonia of newborn (under 4 weeks) (763)	3				2		2	
Diarrhea of newborn (under 4 weeks) (764)					1		1	
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)	4		1		5		2	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		2		2		7	
Motor vehicle accidents (810-835)	12		6		8		10	
All other accidents (840-892; 840-965)					7		7	
Suicide and self-inflicted injury (970-979)	6		1		8		7	
Homicide (980-985)	4				3		1	

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Total Estimated Population, July 1, 1949	Warren		Washington		Wayne		Adams	
	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS	7,300		14,800		10,700		15,200	
Attended by M. D.	110	9	379	3	197	0	325	0
Attended by D. O.	83	7	245	3	174	0	158	0
Attended by midwives	27	2	78		17		155	
Others or unspecified			42		1		4	
STILLBIRTHS			14		5		8	
Attended by M. D.	1	0	8		3	0	2	0
Attended by D. O.	1		5		3		2	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS								
Under one year of age	85	1	3					
Neonatal deaths	2		158	1	91	1	178	0
Maternal deaths	2		13		4		10	
			2		2		8	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)			8		3		5	
Syphilis, age 1 year and over (020-029)					1		2	
Typhoid fever (040)								
Paratyphoid fever (041)					1			
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)					1			
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			2					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	1		1					
Benign and unspecified neoplasms (210-239)	7		18		4		17	
Diabetes mellitus (260)			1					
Anemias (290-293)			4		2		1	
Vascular lesions affecting central nervous system (330-334)	1		1					
Nonmeningococcal meningitis (340)	12		29		8	1	24	
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)			3		5		2	
Other diseases of heart (430-434)	33		33	1	15		40	
Hypertension with heart disease (440-443)	2		2		3		8	
Hypertension w/o mention of heart (444-447)	8		7		7		6	
Other diseases of circulatory system (450-468)	1				3		2	
Influenza (480-483)	2		3		2		13	
Lobar pneumonia 4 weeks (490)			2				1	
Bronchopneumonia 4 weeks (491)	1		7		1		3	
Pneumonia, other forms 4 weeks (492-493)	1		6		4		4	
Bronchitis (500-502)					1		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1			
Gastro Enteritis and colitis, 2 years (571.1)			3					
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1	1	1		2			
Nephritis and nephrosis (590-594)	2		3		2		4	
Complications of pregnancy and puerperium (640-652; 670-689)			4		6		7	
Congenital malformations (750-759)			2					
Birth injuries, asphyxia, (under 4 weeks.) (760-762)								
Pneumonia of newborn (under 4 weeks) (763)			2		1		2	
Diarrhea of newborn (under 4 weeks) (764)							3	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)								
Senility, ill defined and unknown causes (780-795)	2		2				2	
All other diseases (residual)			2					
Motor vehicle accidents (810-835)	3		6		2		7	
All other accidents (890-892; 840-965)	1				2		6	
Suicide and self-inflicted injury (970-979)	5		5		7		6	
Homicide (980-985)	2				5		9	
			1				2	

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Worth		Wright		St. Louis City		
	White	Colored	White	Colored	Total	White	Colored
Total Estimated Population, July 1, 1949	5,200		15,900		849,800		
LIVE BIRTHS							
Attended by M.D.	97	0	332	1	19,729	15,491	4,238
Attended by D.O.	83		219	1	19,464	15,251	4,213
Attended by midwives	14		98		145	145	
Others or unspecified			5		106	83	23
STILLBIRTHS							
Attended by M.D.	1	0	9	0	14	12	2
Attended by D.O.	1		3		455	278	177
Attended by midwives			5		412	260	152
Others or unspecified			1		3	3	
TOTAL DEATHS							
Under one year of age	69	0	169	2	39	15	24
Neonatal deaths	2		13		19,518	8,482	2,036
Maternal deaths	2		8		500	350	150
					380	275	105
					10	6	4
CAUSES OF DEATH							
Tuberculosis of respiratory system (001-008)							
Tuberculosis, other forms (010-019)			2		339	216	123
Syphilis, under 1 year (020-029)					11	2	9
Syphilis, age 1 year and over (020-029)					1		1
Typhoid fever (040)					89	46	43
Paratyphoid fever (041)							
Undulant fever (044)							
Bacillary dysentery (045)							
Amebic dysentery (046)							
Other and unspecified dysentery (047-048)							
Scarlet fever and streptococcal sore throat (050-051)							
Diphtheria (055)					1	1	
Whooping cough (056)					2	1	1
Meningococcal infections (057)							
Tularemia (059)					6	5	1
Tetanus (061)							
Acute poliomyelitis (080)							
Acute infectious encephalitis (082)			1		40	39	1
Measles (085)					4	4	
Rabies (094)							
Rocky mountain spotted fever (104)							
Typhus and other rickettsial diseases (100-103; 105-108)			1		1	1	
Malaria (110-117)							
Other infectious and parasitic diseases (030-138, exc. above)			1		16	11	5
Malignant neoplasms (140-205)							
Benign and unspecified neoplasms (210-239)	10		21		1673	1426	247
Diabetes mellitus (260)	1		1		26	22	4
Anemias (290-293)			1		185	169	16
Vascular lesions affecting central nervous system (330-334)	9		28		26	24	2
Nonmeningococcal meningitis (340)					966	726	240
Rheumatic fever (400-402)					17	9	8
					24	21	3
Chronic rheumatic heart disease (410-416)	5		13		130	106	24
Arteriosclerotic and degenerative heart disease (420-422)	10		28		2664	2389	275
Other diseases of heart (430-434)	1		5		189	116	73
Hypertension with heart disease (440-443)	4		4		549	387	162
Hypertension w/o mention of heart (444-447)							
Other diseases of circulatory system (450-468)			4		254	176	78
Influenza (480-483)			3		560	495	65
Lobar pneumonia 4 weeks (490)	1		2		12	10	2
Bronchopneumonia 4 weeks (491)	1		3	1	119	74	45
Pneumonia, other forms 4 weeks (492-493)	2		1		110	72	38
					17	13	4
Bronchitis (500-502)							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					14	12	2
Gastro Enteritis and colitis, 2 years (571.1)					12	9	3
Cirrhosis of liver (581)					2	1	1
Other diseases of digestive system (530-587 excl. above)	1				181	144	37
Nephritis and nephrosis (590-594)	3		6		294	249	45
Complications of pregnancy and puerperium (640-652; 670-689)	5		5	1	279	219	60
					10	6	4
Congenital malformations (750-759)							
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			3		92	74	18
Pneumonia of newborn (under 4 weeks) (763)			3		95	75	20
Diarrhea of newborn (under 4 weeks) (764)			2		6	5	1
Other infections of newborn (under 4 weeks) (765-769)					1		1
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		1	1	
Senility, ill defined and unknown causes (780-795)					238	159	79
All other diseases (residual)			7		86	68	18
Motor vehicle accidents (810-835)	3		6		389	291	98
All other accidents (800-802; 840-965)	10		3		170	139	31
Suicide and self-inflicted injury (970-979)	1		10		426	351	75
Homicide (980-985)			3		108	98	10
			1		83	20	63

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Cape Girardeau City		Carrhage		Clayton		Columbia	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949								
LIVE BIRTHS								
Attended by M.D.	453	14	223	5	295	19	648	75
Attended by D.O.	433	12	215	5	294	19	631	73
Attended by midwives	20		7		1		17	2
Others or unspecified		2	1					
STILLBIRTHS								
Attended by M.D.	7	1	5	0	8	0	4	1
Attended by D.O.	7	1	3		8		4	1
Attended by midwives			2					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	183	22	137	3	155	9	175	46
Neonatal deaths	17	2	5		2		15	5
Maternal deaths	12	1	5		2		13	5
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	4		3		1	1	5	1
Syphilis, under 1 year (020-029)	1							
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1	1						
Paratyphoid fever (041)			1				1	1
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								1
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1	1						
Measles (085)								
Rabies (094)								1
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	20	3	22	1	35		17	7
Diabetes mellitus (260)					1			1
Anemias (290-293)	1		4		1		2	
Vascular lesions affecting central nervous system (330-334)	2		1		1		2	
Nonmeningococcal meningitis (340)	24	5	13		16	1	21	6
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)					2		1	
Arteriosclerotic and degenerative heart disease (420-422)	3	1	1		3		2	1
Other diseases of heart (430-434)	45		37	2	40	3	32	6
Hypertension with heart disease (440-443)	4		4		2		4	1
Hypertension w/o mention of heart (444-447)	7	1	3		12	1	6	3
Other diseases of circulatory system (450-468)	1		1		3			
Influenza (480-483)	5		7		8		2	
Lobar pneumonia 4 weeks (490)	1	1	1				11	1
Bronchopneumonia 4 weeks (491)	2		2				3	
Pneumonia, other forms 4 weeks (492-493)			2		2		3	
Bronchitis (500-502)							1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1			
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)		1					1	
Other diseases of digestive system (530-587 excl. above)	3		1		2		2	
Nephritis and nephrosis (590-594)	1		1		2		5	3
Complications of pregnancy and puerperium (640-652; 670-689)	3	3	4		3		8	4
Congenital malformations (750-759)							1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4						1	
Pneumonia of newborn (under 4 weeks) (763)	1	1			2		7	2
Diarrhea of newborn (under 4 weeks) (764)			1				1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	8		4				3	2
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3				4	1	5	
Motor vehicle accidents (810-835)	6	1	10		5		15	2
All other accidents (800-802; 840-965)	2		2		3	2	3	1
Suicide and self-inflicted injury (970-979)	25	3	7		3		6	
Homicide (980-985)	3		2		2		3	
	2						1	1

City Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Hannibal		Independence		Jefferson City		Joplin	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949								
LIVE BIRTHS								
Attended by M. D.	386	29	836	11	425	29	829	12
Attended by D. O.	383	28	734	11	399	29	702	12
Attended by midwives	3		102		26		125	
Others or unspecified		1					2	
STILLBIRTHS								
Attended by M. D.	11	1	15	0	9	1	15	0
Attended by D. O.	8	1	11		8	1	13	
Attended by midwives	2		4		1		2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	270	27	293	14	169	20	453	13
Neonatal deaths	12	2	19		7		20	
Maternal deaths	10		13		6		14	
		1	1		1		1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	2		7	1	2	2	21	
Syphilis, age 1 year and over (020-029)	1				1		2	
Typhoid fever (040)	2		1		1		6	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)							1	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1							
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)			2				1	
Benign and unspecified neoplasms (210-239)	36		40	1	22	3	80	
Diabetes mellitus (260)			2		1		1	1
Anemias (290-293)	4	1	7		3	1	5	
Vascular lesions affecting central nervous system (330-334)	2				1		1	
Nonmeningococcal meningitis (340)	28	5	31		20	7	59	3
Rheumatic fever (400-402)		1						
Chronic rheumatic heart disease (410-416)					2			
Arteriosclerotic and degenerative heart disease (420-422)	3	3	3	1	1		4	
Other diseases of heart (430-434)	79	10	78	4	49	3	119	2
Hypertension with heart disease (440-443)	8		6	1	3		10	
Hypertension w/o mention of heart (444-447)	12		12	2	14	1	20	1
Other diseases of circulatory system (450-468)	3		5		2		5	
Influenza (480-483)	20	1	10		8	1	12	2
Lobar pneumonia 4 weeks (490)	1		1					
Bronchopneumonia 4 weeks (491)	3		4				8	
Pneumonia, other forms 4 weeks (492-493)	3		5		1		4	1
Bronchitis (500-502)	1		1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			3				1	
Gastro Enteritis and colitis, 2 years (571.1)			2				3	
Cirrhosis of liver (581)					1			
Other diseases of digestive system (530-587 excl. above)	1		3		3			
Nephritis and nephrosis (590-594)	2		11	1	4	1	15	
Complications of pregnancy and puerperium (640-652; 670-689)	10	1	7	1	1	1	5	
Congenital malformations (750-759)			1		1		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1				2	
Pneumonia of newborn (under 4 weeks) (763)	1		3		4		5	
Diarrhea of newborn (under 4 weeks) (764)			1				1	
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	6		3		2		5	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	8	2	8		1		5	
Motor vehicle accidents (810-835)	11		12		9		14	
All other accidents (800-802; 840-965)	1		6		2		13	1
Suicide and self-inflicted injury (970-979)	8	2	12	2	8		17	2
Homicide (980-985)	4		4		1		2	

City Summary

53

Births, Stillbirths and Specified Causes of Death by Residence - 1949

	Kansas City		Kirkville		Kirkwood		Maplewood	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1949								
LIVE BIRTHS								
Attended by M. D.	8,557	1,386	367	2	434	54	276	2
Attended by D. O.	7,570	1,367	98		431	54	276	2
Attended by midwives	964	15	169	2	3			
Others or unspecified	2	2						
STILLBIRTHS								
Attended by M. D.	142	38	2	0	6	3	2	0
Attended by D. O.	120	38	2		6	3	1	
Attended by midwives	21						1	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	4,461	857	157	3	173	17	135	2
Neonatal deaths	264	44	13		9	1	6	1
Maternal deaths	210	36	12		5	1	4	
	4	4			1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	97	40	2		3	1	3	
Syphilis, under 1 year (020-029)	9	7						
Syphilis, age 1 year and over (020-029)		1						
Typhoid fever (040)	21	19	1					
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)		1						
Whooping cough (056)								
Meningococcal infections (057)	2							
Tularemia (059)	2	1						
Tetanus (061)								
Acute poliomyelitis (080)	14	1						
Acute infectious encephalitis (082)		1	1		2			
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	4				1			1
Malignant neoplasms (140-205)	678	103	24		25	5	24	
Benign and unspecified neoplasms (210-239)	12	4	1		2		2	
Diabetes mellitus (260)	57	19	3		3		2	
Anemias (290-293)	10	1			1		1	
Vascular lesions affecting central nervous system (330-334)	452	55	14		16		12	
Nonmeningococcal meningitis (340)	3	3	1		1			
Rheumatic fever (400-402)	5	2	1				1	
Chronic rheumatic heart disease (410-416)	83	28	3		4	1		
Arteriosclerotic and degenerative heart disease (420-422)	1302	145	32		46	3	43	
Other diseases of heart (430-434)	80	27			3		3	
Hypertension with heart disease (440-443)	174	132	8	2	16	2	9	1
Hypertension w/o mention of heart (444-447)	34	9	1		3		4	
Other diseases of circulatory system (450-468)	136	14	15		5		6	
Influenza (480-483)	9	2					1	
Lobar pneumonia 4 weeks (490)	59	15	1		1			
Bronchopneumonia 4 weeks (491)	101	6	4		5		1	
Pneumonia, other forms 4 weeks (492-493)	12	3						
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	6			1				
Gastro Enteritis and colitis, 2 years (571.1)	9	1						
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	76	9	2		3		1	
Nephritis and nephrosis (590-594)	145	23	3		7			
Complications of pregnancy and puerperium (640-652; 670-689)	59	21	4				1	
	4	4					3	
Congenital malformations (750-759)					1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	52	8	1		1			
Pneumonia of newborn (under 4 weeks) (763)	70	12	7		4		2	
Diarrhea of newborn (under 4 weeks) (764)	9	2	2					
Other infections of newborn (under 4 weeks) (765-769)	4							
Other diseases of early infancy (under 4 weeks) (770-776)	7		1					
	83	18	1		2	1	2	
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	90	12	4		4	1	3	
Motor vehicle accidents (810-835)	168	44	12		4	1	4	
All other accidents (800-802; 840-865)	62	5	1		4		1	
Suicide and self-inflicted injury (970-979)	184	27	4		5	2	3	
Homicide (980-985)	60	5	2		1		2	
	16	27	1				1	

City Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Total Estimated Population, July 1, 1949	Moberly		Poplar Bluff		Richmond Heights		St. Charles City	
	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS								
Attended by M. D.	212	15	372	32	281	31	332	6
Attended by D. O.	168	7	351	16	281	31	332	6
Attended by midwives	44	8	14	8				
Others or unspecified			5	8				
STILLBIRTHS								
Attended by M. D.	3	2	11	0	5	0	8	0
Attended by D. O.	1	2	9		5		8	
Attended by midwives	2		2					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	160	15	128	16	98	9	147	5
Neonatal deaths	4		24	2	5	1	7	1
Maternal deaths	2	1	16	1	5	1	6	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)	1		2	1	3			
Syphilis, age 1 year and over (020-029)			1					
Typhoid fever (040)								
Paratyphoid fever (041)			1					
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)			1					
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)			1					
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	1				1		1	
Measles (085)								
Rabies (094)							1	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)			1					
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	28	2	8		23		22	1
Anemias (290-293)	2			1		1	1	
Vascular lesions affecting central nervous system (330-334)	1				2			1
Nonmeningococcal meningitis (340)	14		1		2			
Rheumatic fever (400-402)	1		25	4	8	2	22	
Chronic rheumatic heart disease (410-416)							1	
Arteriosclerotic and degenerative heart disease (420-422)	1		2					
Other diseases of heart (430-434)	53	4	30	1	23	1	39	1
Hypertension with heart disease (440-443)	6	1	3	1	1		1	
Hypertension w/o mention of heart (444-447)	5		8	1	5	1	11	
Other diseases of circulatory system (450-468)	5		1		3	1	3	1
Influenza (480-483)	10	1		1	6		18	
Lobar pneumonia 4 weeks (490)		2						
Bronchopneumonia 4 weeks (491)	1		2	1	1			
Pneumonia, other forms 4 weeks (492-493)	2		2		1			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)			2					
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)			1	1	1			
Nephritis and nephrosis (590-594)	1	1	2	1	1			
Complications of pregnancy and puerperium (640-652; 670-689)	4			2	1		5	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2				4	
Pneumonia of newborn (under 4 weeks) (763)			3	1	3			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1			1		
Other diseases of early infancy (under 4 weeks) (770-776)	2		7		1		2	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	7		5		2		1	
Motor vehicle accidents (810-835)	4	2	7		2		5	
All other accidents (800-802; 840-965)	1				2	2	4	
Suicide and self-inflicted injury (970-979)	5	2	7		2		3	
Homicide (980-985)	5		2					

Births, Stillbirths and Specified Causes of Death by Residence - 1949

Total Estimated Population, July 1, 1949	Webster Groves									
	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored
LIVE BIRTHS										
Attended by M. D.	390	50								
Attended by D. O.	390	50								
Attended by midwives										
Others or unspecified										
STILLBIRTHS										
Attended by M. D.	7	1								
Attended by D. O.	7	1								
Attended by midwives										
Others or unspecified										
TOTAL DEATHS										
Under one year of age	198	22								
Neonatal deaths	4									
Maternal deaths										
CAUSES OF DEATH										
Tuberculosis of respiratory system (001-008)										
Tuberculosis, other forms (010-019)										
Syphilis, under 1 year (020-029)	2	1								
Syphilis, age 1 year and over (020-029)										
Typhoid fever (040)	3	2								
Paratyphoid fever (041)										
Undulant fever (044)										
Bacillary dysentery (045)										
Amebic dysentery (046)										
Other and unspecified dysentery (047-048)										
Scarlet fever and streptococcal sore throat (050-051)										
Diphtheria (055)	1									
Whooping cough (056)	1									
Meningococcal infections (057)										
Tularemia (059)	1									
Tetanus (061)										
Acute poliomyelitis (080)										
Acute infectious encephalitis (082)										
Measles (085)										
Rabies (094)										
Rocky mountain spotted fever (104)										
Typhus and other rickettsial diseases (100-103; 105-108)										
Malaria (110-117)										
Other infectious and parasitic diseases (030-138, exc. above)										
Malignant neoplasms (140-205)										
Benign and unspecified neoplasms (210-239)	34	1								
Diabetes mellitus (260)	1									
Anemias (290-293)	1	2								
Vascular lesions affecting central nervous system (330-334)	19	4								
Nonmeningococcal meningitis (340)										
Rheumatic fever (400-402)										
Chronic rheumatic heart disease (410-416)										
Arteriosclerotic and degenerative heart disease (420-422)	3									
Other diseases of heart (430-434)	64	4								
Hypertension with heart disease (440-443)	9									
Hypertension w/o mention of heart (444-447)	10	2								
Other diseases of circulatory system (450-468)	2	1								
Influenza (480-483)	13									
Lobar pneumonia 4 weeks (490)										
Bronchopneumonia 4 weeks (491)	1									
Pneumonia, other forms 4 weeks (492-493)	1	1								
Bronchitis (500-502)										
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)										
Gastro Enteritis and colitis, 2 years (571.1)										
Cirrhosis of liver (581)										
Other diseases of digestive system (530-587 excl. above)	1									
Nephritis and nephrosis (590-594)	3									
Complications of pregnancy and puerperium (640-652; 670-689)	2									
Congenital malformations (750-759)										
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2									
Pneumonia of newborn (under 4 weeks) (763)	1									
Diarrhea of newborn (under 4 weeks) (764)										
Other infections of newborn (under 4 weeks) (765-769)										
Other diseases of early infancy (under 4 weeks) (770-776)	2									
Senility, ill defined and unknown causes (780-795)										
All other diseases (residual)	3	1								
Motor vehicle accidents (810-835)	10	1								
All other accidents (800-802; 840-965)										
Suicide and self-inflicted injury (970-979)	4									
Homicide (980-985)	4									